


ISSN 0486-4271



International Organization
for Succulent Plant Study

Organización Internacional
para el Estudio de
Plantas Suculentas

Organisation Internationale
de Recherche sur les
Plantes Succulentes

Internationale Organisation
für Sukkulenten-Forschung

IOS

**Repertorium
Plantarum
Succulentarum
LXI (2010)**

A short history of *Repertorium Plantarum Succulentarum*

The first issue of *Repertorium Plantarum Succulentarum* (RPS) was produced in 1951 by Michael Roan (1909–2003), one of the founder members of the International Organization for Succulent Plant Study (IOS) in 1950. It listed the ‘majority of the new names [of succulent plants] published the previous year’. The first issue, edited by Roan himself with the help of A.J.A. Uitewaal (1899–1963), was published for IOS by the National Cactus & Succulent Society, and the next four (with Gordon Rowley as Associate and later Joint Editor) by Roan’s newly formed British Section of the IOS. For issues 5–12, Gordon Rowley became the sole editor. Issue 6 was published by IOS with assistance by the Acclimatisation Garden Pinya de Rosa, Costa Brava, Spain, owned by Fernando Riviere de Caralt, another founder member of IOS.

In 1957, an arrangement for closer cooperation with the International Association of Plant Taxonomy (IAPT) was reached, and RPS issues 7–22 were published in their *Regnum Vegetabile* series with the financial support of the International Union of Biological Sciences (IUBS), of which IOS remains a member to this day. Issues 23–25 were published by Abbey Garden Press of Pasadena, California, USA, after which IOS finally resumed full responsibility as publisher with issue 26 (for 1975).

Gordon Rowley retired as editor after the publication of issue 32 (for 1981) along with Len E. Newton, who had assisted him with issues 13 onwards. Starting with issue 33, RPS was compiled and edited by Urs Eggli and Nigel Taylor, who enhanced it by adding data on nomenclatural types and enlarging the ‘Bibliographia’ section, first introduced in issue 20 (for 1969). After issue 45 (for 1994), Nigel Taylor handed over as co-editor to his wife Daniela Zappi, who assisted with issues 46–59. Reto Nyffeler joined the editorial team for issue 55 onwards.

Starting in 1986, a nomenclatural and bibliographical database was created to compile the individual issues and over the years all earlier issues were added to this database, making it possible to produce the ‘IOS Index of Names of Cactaceae published 1950–1990’. This was published by the Royal Botanic Gardens Kew in 1991, and followed by an equivalent list for the ‘other succulents’ in 1994.

Now, after 60 issues conventionally printed, *Repertorium Plantarum Succulentarum* is being made available from this issue, no. 61, in digital form in pdf format (‘portable document format’), as an ‘open access’ publication, accessible over the internet.

Repertorium Plantarum Succulentarum LXI (2010)

*Index nominum novarum plantarum succulentarum anno MMX
editorum nec non bibliographia taxonomica ab U. Egli et R.
Nyffeler compositus.*

International Organization for Succulent Plant Study

November 2011

ISSN 0486-4271

Conventions used in Repertorium Plantarum Succulentarum

- Repertorium Plantarum Succulentarum attempts to list, under separate headings, newly published names of succulent plants and relevant literature on the systematics of these plants, on an annual basis. New names noted after the issue for the relevant year has gone to press are included in later issues. Specialist periodical literature is scanned in full (as available at the libraries at ZSS and Z or received by the compilers). Also included is information supplied to the compilers direct. It is urgently requested that any reprints of papers not published in readily available botanical literature be sent to the compilers.
- Validly published names are given in **bold face** type (except for epithets of new cultivars), accompanied, in the case of newly described taxa, by an indication of the nomenclatural type (name or specimen dependent on rank), followed by the herbarium acronyms of the herbaria where the holotype and possible isotypes are said to be deposited (first acronym for holotype), according to the Index Herbariorum database. Invalid, illegitimate, or incorrect names are given in *italic* type face. In either case a full bibliographic reference is given. For new combinations, the basionym is listed. For invalid, illegitimate or incorrect names, the articles of the ICBN or ICNCP which have been contravened are indicated in brackets.
- The compilers would like to point out that they do not accept any names that might be inadvertently validated in this volume of RPS.
- Bibliographic details of papers dealing only with the names of one or few new taxa are usually not repeated in the bibliographic section.
- Starting with RPS 61, abbreviations for periodicals are those suggested in Bibliographia Periodicorum Huntianum Ed. 2 (BPH2), or are constructed according to BPH2 guidelines for other periodicals. For some titles where BPH2 has incomplete data, the abbreviations suggested in 'Bibliography of Succulent Plant Periodicals' (U. Eggli in Friciana 60: 1-139, 1998 ('1995')) are used.

Compiled by:

- U. Eggli, Sukkulenten-Sammlung Zürich, Mythenquai 88, CH-8002 Zürich, Switzerland.
- R. Nyffeler, Institut für Systematische Botanik der Universität Zürich, Zollikerstrasse 107, CH-8008 Zürich, Switzerland.

Available from (incl. back issues):

IOS, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL, U.K.

© 2011: International Organization for Succulent Plant Study, c/o The Manse, Chapel Lane, Milborne Port, DT9 5DL, U.K.

© 2011 (data compilation): Sukkulenten-Sammlung Zürich, Zürich (Switzerland).

ISSN 0486-4271

This work is licensed under the Creative Commons Attribution - Non-Commercial - ShareAlike 3.0 Germany License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/de/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

Compilers' Preface

The present issue of *Repertorium Plantarum Succulentarum* shows quite a number of innovations, and it is the first that is distributed primarily in digital format as a portable document in pdf format. RPS is produced as an 'open access' journal, and is freely available from the IOS website (www.iosweb.org) under a Creative Commons 3.0 licence (see copyright page).

Associated with switching to electronic publication is a small change in paper size, which is now reduced to the conventional A5 paper format. With this change, it is easy to produce a neat A5-sized booklet on paper for those who favour this method of accessing RPS.

Other changes concern some of the standards that have been in use for the past issues:

- Family classification: The family classification used for the Repertorium has long remained unchanged, but became increasingly outdated. Starting with this issue, we switch to the classification proposed by Nyffeler & Egli (An up-to-date familial and suprafamilial classification of succulent plants, *Bradleya* 28: 125-144, 2010), which largely follows APG III, but with some modifications.
- Literature references: Literature references are now following the standards as set out in BPH/2 (*Bibliographia Periodicorum Huntianum*, ed. 2).
- Bibliographic data: In contrast to past practice, and in line with the standards used by many journals, we now show all authors of a publication, instead of using "et al." for papers with more than two authors. On the other hand, the cross-reference index to author names is now omitted, since RPS is produced in searchable digital format.

Words of thanks are, as usual, due to all those authors that have supplied us with copies of their papers. Especially for papers published in less well-known journals, this help is vital and is greatly appreciated.

For help with nomenclatural questions, we thank Katherine Challis and her colleagues at the IPNI team at Kew. Rainer Mailänder, Zürich, continued his great help by scanning many more "general" biological journals. Daniele Cicuzza has added most of the bibliographic data during an internship at ZSS.

Finally, a word of thanks is due to all those organizations and societies that help to make this digital version of RPS more widely accessible, esp. the Sociedad Latinoamericana y del Caribe de Cactáceas y otras Suculentas.

NOMINA NOVA

AGAVACEAE

Agave gomezpompae Cházaro & Jimeno-Sevilla, *Cact.-Avent. Int. No. 88*: 2-11, *ills.*, 2010. Typus: *Jimeno-Sevilla & al.* 247 (XAL, CHAP, CHAPA, ENCB, IBUG, IEB, MEXU).

Agave nussaviorum García-Mendoza, *Acta Bot. Mex.* 91: 78-80, *ills.*, 2010. Typus: *García-Mendoza & al.* 9204 (MEXU, ENCB, IEB, MO, OAX, US).

Agave nussaviorum ssp. **deltoidea** García-Mendoza, *Acta Bot. Mex.* 91: 83-85, *ills.*, 2010. Typus: *García-Mendoza & Martínez* 6051 (MEXU, OAX).

Hesperaloe malacophylla Hochstätter & Martínez-Ávalos, *Piante Grasse* 30(1): 20-22, *ills.*, 2010. Typus: *Martínez-Ávalos* 898 (UAT).

×**Mangave** D. Klein, *Kakt. and. Sukk.* 61(8): 211-212, *ills.*, 2010. [The statement of parentage as required by Art. H9.1 is cryptically hidden on p. 212.] [= *Manfreda* × *Agave*.]

×**Mangave** ‘Bloodspot’ hort. *ex* D. Klein, *Kakt. and. Sukk.* 61(8): 211-212, *ill.*, 2010. [= *Agave macroacantha* × *Manfreda maculosa*.]

×**Mangave** ‘Macho Mocha’ hort. *ex* D. Klein, *Kakt. and. Sukk.* 61(8): 212-214, *ills.*, 2010. [= *Agave celsii* × *Manfreda variegata*?]

AIZOACEAE

Antimima hexamera (L. Bolus) Klak, *South Afr. J. Bot.* 76: 307, 2010. Basionym: *Ruschia hexamera*.

Antimima radicans (L. Bolus) Klak, *South Afr. J. Bot.* 76: 307, 2010. Basionym: *Ruschia radicans*.

×**Carpophyma mutabile** Heenan & Sykes, *New Zealand J. Bot.* 48(3-4): 226-227, 2010. Typus: *Sykes* 374/98 (CHR). [= *Disphyma australe* × *Carpobrotus edulis*.]

×**Carpophyma pallidum** Sykes & Heenan, *New Zealand J. Bot.* 48(3-4): 227-229, 2010. Typus: *Moss* s.n. (CHR). [= *Carpobrotus chilensis* × *Disphyma australe*.]

Mesembryanthemum knolfonteinense Klak, *South Afr. J. Bot.* 76: 299-301, *ills.*, 2010. Typus: *Klak* 1770 (BOL).

×**Neomat** S. A. Hammer, *Mesemb Study Group Bull.* 25(3): 56, 2010. *Nom. inval.* (Art. H6.2). [= *Neohenricia* × *Stomatium*.]

×**Neomat** ‘Lindsey’ S. A. Hammeer, *Mesemb Study Group Bull.* 25(3): 56, 2010. Incorrect name (Art. 11.4). [= *Stomatium geofreyi* × *Neohenricia spiculata*.]

Octopoma tanquamum Klak, *South Afr. J. Bot.* 76: 302-303, *ills.*, 2010. Typus: *Bruyns* 10797 (BOL).

Phiambolia littlewoodii (L. Bolus) Klak, *South Afr. J. Bot.* 76: 306, 2010. Basionym: *Ruschia littlewoodii*.

Vlokia montana Klak, *South Afr. J. Bot.* 76: 303-305, *ills.*, 2010. Typus: *Bruyns* 10515 (BOL).

ANACAMPSEROTACEAE

Anacampseros coahuilensis (S. Watson) Eggl & Nyffeler, *Taxon* 59(1): 240, 2010. Basionym: *Talinum coahuilense*.

Anacampseros decapitata Burgoyne & J. van Thiel, *Novon* 20(4): 381-383, *ills.*, 2010. Typus: *Burgoyne & van Thiel* 2 (PRE, BOL, K, MO).

Anacampserotaceae Eggl & Nyffeler, *Taxon* 59(1): 232, 2010. Typus: *Anacampseros* Linné.

APOCYNACEAE

Caralluma faucicola Bruyns, *South Afr. J. Bot.* 76(2): 249-251, *ill.*, 2010. Typus: *Bruyns* 10263 (E, BOL, M).

Desmidorchis impostor Jonkers, *Bradleya* 28: 76, *figs.* 1G-J, 10-15 (pp. 68, 73), 2010. Typus: *Jonkers* 76 (ON).

Hoya ‘Hagar’ Al-Witri, *Asklepios* 108: 26-27, *ills.*, 2010. [= *H. obovata* × *H. sp.*, obtained in cultivation.]

Hoya apoensis var. *sagittarius* Kloppenburg & al., *Fraterna* 23(4): 5-8, ills., 2010. Based on *Ferreras* 737. *Nom. inval.* (Art. 43.1). [Varietal epithet to be treated as noun in apposition.]

Hoya carmelae Kloppenburg & al., *Fraterna* 23(4): 9-13, ills., 2010. Typus: *Ferreras* 782 (PUH 14598).

Hoya corazoniae Kloppenburg & al., *Fraterna* 23(4): 15-19, ills., 2010. Typus: *Ferreras* 800 (PUH 14601).

Hoya ferrerasii Kloppenburg & Siar, *Fraterna* 23(4): 21-23, ills., 2010. Typus: *Ferreras* 741 (CAHUP 71723).

Hoya kanlaonensis Kloppenburg & al., *Fraterna* 23(4): 24-27, ills., 2010. Typus: *Ferreras* 771 (PUH 14600).

Hoya minutiflora Rodda & Simonsson, *Webbia* 65(2): 174-175, ills., 2010. Typus: *Ridsdale* s.n. (L) [Ex cult. BG Leiden].

Hoya paulshirleyi T. Green & Kloppenburg, *Fraterna* 23(1): [5-8], ills., 2010. Typus: *Shirley* 8844 (UC) [Ex cult. T. Green, Green Plant Research]. [First published invalidly (Art. 36.1, 37.1) in *L.c.* 22(4): 5-8, 2009 (cf. RPS 60). The valid publication in 2010 is in the form of replacement pages for issue 22(4); see 23(1): 4, 2010, for an explanation.]

Hoya plicata ssp. *rundumensis* T. Green, *Asklepios* 108: 19-20, ills., 2010. Typus: *Green* 93039 (BISH) [Ex cult. Hort. T. Green].

Hoya recurvula ssp. *bokorensis* Kloppenburg & Yap, *Asklepios* 108: 5-6, ills., 2010. Typus: *Yap* s.n. (SING).

Hoya surigaensis Kloppenburg & al., *Asklepios* No. 107: 23-26, ills., 2010. Typus: *Gilding* 897 (CAHUP 71719) [Ex cult. T. Nyhuus.].

Hoya ubudensis Kloppenburg & Yap, *Asklepios* 108: 7-8, ills., 2010. Typus: *Yap* 080126 (SING).

Huernia humpatana Bruyns, *South Afr. J. Bot.* 76(3): 585-587, ills., 2010. Typus: *Bruyns* 10418a (BOL, E).

33.4), based on *Aloe berevoana*. [Suggested change in status on a provisional base.]

Aloe candicans (H. Perrier) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b, 33.4), based on *Aloe deltoideodonta* var. *candicans*. [Suggested change in status on a provisional base. *Non Aloe candicans* (Haworth) Roemer & Schultes 1829.]

Aloe candicans var. *fallax* (J.-B. Castillon) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b, 33.4), based on *Aloe deltoideodonta* var. *fallax*. [Suggested change in status on a provisional base.]

Aloe cipolinicola (H. Perrier) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 28, 2010. Basionym: *Aloe capitata* var. *cipolinicola*.

Aloe deltoideodonta var. *ruffingiana* (Rauh & Petignat) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 28, 2010. Basionym: *Aloe ruffingiana*.

Aloe divaricata ssp. *deinacantha* (T. A. McCoy & al.) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b, 33.4), based on *Aloe deinacantha*. [Suggested change in status on a provisional base.]

Aloe divaricata ssp. *tulearensis* (T. A. McCoy & Lavranos) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b, 33.4), based on *Aloe tulearensis*. [Suggested change in status on a provisional base.]

Aloe divaricata var. *deinacantha* (T. McCoy & al.) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b, 33.4), based on *Aloe deinacantha*. [Suggested change in status on a provisional base.]

Aloe fievetii var. *ambatofinandrahanensis* J.-B. Castillon, *Cact.-Avent. Int. No.* 85: 6-7, ills., 2010. Typus: *Castillon* 46 (TAN, P).

Aloe gneissicola (H. Perrier) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 28, 2010. Basionym: *Aloe capitata* var. *gneissicola*.

Aloe martialii J.-B. Castillon, *Cact.-Avent. Int. No.* 85: 3-4, ills., 2010. Typus: *Malcomber & al.* 1185 (MO).

Aloe neilcrouchii Klopffer & G. F. Smith, *Bothalia* 40(1): 94-95, ills., 2010. Typus: *Crouch & Johnson* 1247 (PRE, NH).

ASPHODELACEAE

Aloe acutissima var. *berevoana* (Lavranos) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 27, 2010. *Nom. inval.* (Art. 34.1b,

- Aloe newtonii** J.-B. Castillon, *Bradleya* 27: 152, ill. (p. 151), 2009. Typus: *Reynolds* 7885 (TAN, K, PRE). [The name was incorrectly treated as illegitimate under Art. 52.1 in RPS 60 because of a confusing citation of synonymies.]
- Aloe nicholsii** G. F. Smith & N. Crouch, *Bradleya* 28: 103-106, ill., 2010. Typus: *Crouch* 1270 (PRE, NH).
- Aloe perdita** Ellert, *Aloe* 46(3): 51, 2010. Typus: *Ellert* 172 (ARIZ) [Ex cult. Bulawayo, Zimbabwe and Tucson, Arizona.]. [First published invalidly (Art. 8.2) in l.c. 45(4): 76-77, ill., 2009 ('2008') (cf. RPS 60).]
- Aloe rugosquamosa** (H. Perrier) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 28, 2010. Basionym: *Aloe compressa* var. *rugosquamosa*.
- Aloe sebanica** Orlando & El Azzouni, *CactusWorld* 28(4): 208-210, ill., 2010. Typus: *Orlando & El Azzouni* 241504 (FT).
- Aloe versicolor** var. **steffanicana** (Rauh) J.-B. Castillon & J.-P. Castillon, *Aloe Madagascar*, 28, 2010. Basionym: *Aloe steffanicana*. [Sphalm. 'steffaniana'.]
- Bulbinella calcicola** J. C. Manning & Goldblatt, *Bothalia* 40(2): 197-199, ill., 2010. Typus: *Claassens & Claassens* 11 (NBG, K, MO).
- Chortolirion latifolium** Zonneveld & G. Fritz, *Bradleya* 28: 32-33, ill., 2010. Typus: *Fritz* 1025 (PRE).
- Haworthia** 'Ollason's Pride' P. I. Forster, *Alsterworthia* Int. 10(3): 2-3, ill., 2010. [A hybrid with *H. cooperi* as one parent. Based on *Haworthia ollasonii* G. R. Hayer 1971 (*nom. inval.*, Art. 36.1, 37.1).]
- Haworthia** Sect. **Attenuatae** (Pilbeam) Breuer, Gen. *Haworthia* Book 1, 4, 2010. Basionym: *Haworthia* Subsect. *Attenuatae*.
- Haworthia** Sect. **Turgidae** (Pilbeam) Breuer, Gen. *Haworthia* Book 1, 4, 2010. Basionym: *Haworthia* Subsect. *Turgidae*.
- Haworthia adelaidensis** (Poellnitz) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia reinwardtii* var. *adelaidensis*.
- Haworthia angustata** (Poellnitz) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia cymbiformis* var. *angustata*.
- Haworthia anna* M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia araneoides* M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia arcana** (G. F. Smith & N. Crouch) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia limifolia* var. *arcana*.
- Haworthia baviens* M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia brevicula** (G. G. Smith) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia reinwardtii* var. *brevicula*.
- Haworthia calitzdorpensis** (Breuer) M. Hayashi, *Haworthia* Study 22: 11, 2010. Basionym: *Haworthia mucronata* var. *calitzdorpensis*. [Sphalm. 'calitzensis'.]
- Haworthia cocksia* M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia compacta** (Triebner) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia cymbiformis* var. *compacta*.
- Haworthia coriacea** (Resende & Poellnitz) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia tessellata* var. *coriacea*.
- Haworthia corticosa* M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia depauperata** (Poellnitz) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia triebneriana* var. *depauperata*.
- Haworthia diversicolor** (Triebner & Poellnitz) M. Hayashi, *Haworthia* Study 22: 11, 2010. Basionym: *Haworthia triebneriana* var. *diversicolor*.
- Haworthia flaccida** (M. B. Bayer) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia herbacea* var. *flaccida*.
- Haworthia glaucophylla** (M. B. Bayer) Breuer, Gen. *Haworthia* Book 1, 7, 2010. Basionym: *Haworthia limifolia* var. *glaucophylla*.
- Haworthia ikra** Breuer, Gen. *Haworthia* Book 1, 7, 2010. Typus: [neo – icono]: H. Jacobsen, *Handb. Sukk. Pfl.* 2: 724, fig. 644, 1956. [Neotype designated by Breuer, *World Haworthias* 1: 201, 1998, for the replaced name.]. [*Nom. nov. pro Haworthia obtusa* f.

- truncata* H. Jacobsen 1955, although labelled as "stat. nov.".]
- Haworthia inspida** Breuer, Gen. Haworthia Book 1, 7, 2010. Typus: *Bayer* 1702 (NBG). [*Nom. nov. pro Haworthia zantmeriana* var. *minor* M. B. Bayer 1999, although labelled as "stat. nov.".]
- Haworthia janvlokii** (Breuer) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia picta* var. *janvlokii*.
- Haworthia johanii** (M. Hayashi) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia scabra* var. *johanii*.
- Haworthia lavrani** (C. L. Scott) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia sordida* var. *lavrani*.
- Haworthia namaquensis** (M. B. Bayer) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia arachnoidea* var. *namaquensis*.
- Haworthia obesa** (Poellnitz) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia cymbiformis* var. *obesa*.
- Haworthia olivacea** (G. G. Smith) Breuer, Gen. Haworthia Book 1, 7, 2010. Basionym: *Haworthia reinwardtii* var. *olivacea*.
- Haworthia pallidifolia** (G. G. Smith) M. Hayashi, Haworthia Study 22: 11, 2010. Basionym: *Haworthia turgida* var. *pallidifolia*. [Repeated by Breuer, Gen. Haworthia Book 1, 7, 2010.]
- Haworthia papillaris** Breuer, Gen. Haworthia Book 1, 7, 2010. Typus: *de Vries* 124 in *Breuer* 5379 (Res. Inst. Evol. Biol. Tokyo). [*Nom. nov. pro Haworthia truncata* var. *minor* Breuer 2003, although given as "stat. nov.".]
- Haworthia patriae* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia paucifolia** (G. G. Smith) M. Hayashi, Haworthia Study 22: 11, 2010. Basionym: *Haworthia angustifolia* var. *paucifolia*.
- Haworthia platinosa* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia rooivleiensis** (M. B. Bayer) Breuer, Gen. Haworthia Book 1, 7, 2010. Typus: *Bayer* s.n. in *Karoo Garden* 36/70 (NBG). [*Nom. nov. pro Haworthia heidelbergensis* var. *minor* M. B. Bayer 1999, although given as "stat. nov.".]
- Haworthia salina** (von Poellnitz) M. Hayashi, Haworthia Study 22: 11, 2010. Basionym: *Haworthia stayneri* var. *salina*.
- Haworthia scabrida** Breuer, Gen. Haworthia Book 1, 8, 2010. Typus: *Bayer* 1700 (NBG). [*Nom. nov. pro Haworthia heidelbergensis* var. *scabra* M. B. Bayer 1999, although given as "stat. nov.".]
- Haworthia scabrispina** (M. B. Bayer) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia arachnoidea* var. *scabrispina*.
- Haworthia setulifera** (Poellnitz) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia planifolia* var. *setulifera*.
- Haworthia similis* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia simofuri* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia standeri** (J. Esterhuizen) M. Hayashi, Haworthia Study 22: 11, 2010. Basionym: *Haworthia integra* var. *standeri*.
- Haworthia suberecta** (Poellnitz) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia turgida* var. *suberecta*.
- Haworthia sublineata** (Poellnitz) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia triebneriana* var. *sublineata*.
- Haworthia swanea* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Haworthia tenuis** (G. G. Smith) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia reinwardtii* var. *tenuis*.
- Haworthia toonensis** (M. B. Bayer) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia heidelbergensis* var. *toonensis*.
- Haworthia tricolor** (Breuer) M. Hayashi, Haworthia Study 22: 11, 2010. Basionym: *Haworthia picta* var. *tricolor*.
- Haworthia variabilis** (Breuer) Breuer, Gen. Haworthia Book 1, 8, 2010. Basionym: *Haworthia viscosa* var. *variabilis*.
- Haworthia viridula* M. Hayashi, Haworthia Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

Haworthia yarrowa M. Hayashi, *Haworthia* Study 22: 10, ill., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]

ASTERACEAE

Caputia Pelser, *Amer. J. Bot.* 97(5): 867, 2010. *Nom. inval.* (Art. 34.1b, 36.1). [Published as provisional name ("ined.").]

Caputia medley-woodii (Hutchinson) Pelser, *Amer. J. Bot.* 97(5): 867, 2010. *Nom. inval.* (Art. 34.1b), based on *Senecio medley-woodii*. [Used as provisional name ("ined.").]

Caputia scaposa (De Candolle) Pelser, *Amer. J. Bot.* 97(5): 867, 2010. *Nom. inval.* (Art. 34.1b), based on *Senecio scaposus*. [Used as provisional name ("ined.").]

BALSAMINACEAE

Impatiens pingxiangensis H.-Y. Bi & S.-X. Yu, *Nordic J. Bot.* 28: 304-306, ill., 2010. Typus: *Yu* 3088 (PE, IBK).

CACTACEAE

×*Astrobergia* A. Piñal, *Revista Circ. Colec. Cact. Crasas Rep. Argent.* 9(1): 25, ill. (fig. 15), 2010. [= *Astrophytum* × *Leuchtenbergia*.]

Borzicactus hutchisonii G. Charles, *Bradleya* 28: 3, figs. 4-11 (pp. 4-6), 2010. Typus: *Calderón & al.* s.n. in *Charles* 608.02 (Herb. Jard. Bot. Univ. La Molina, Lima 03.73.2).

Borzicactus longiserpens (Leuenberger) G. Charles, *Bradleya* 28: 7, figs. 16-18 (p. 9), 2010. Basionym: *Cleistocactus longiserpens*.

Borzicactus longiserpens ssp. *erectus* G. Charles, *Bradleya* 28: 9-11, figs. 19-24, 2010. Typus: *Charles* 568.03 (K).

Cereus yungasensis A. Fuentes & Quispe, *Revista Soc. Boliv. Bot.* 4(2): 198-201, ill., 2009. Typus: *Fuentes & Quispe* 11275 (LPB, BOLV, LPB, MO, USZ). [Omitted

previously.]

Corynopuntia guccinii D. Donati, *Piante Grasse* 30(32): 118, ill. (pp. 115-119), 2010. Typus: *Hinton & al.* 29067 (Herb. G. B. Hinton, MEXU).

Digitorebutia pygmaea var. *knizei* (Rausch) L. Busch, *Echinopseen* 7(2): 76, ill., 2010. *Nom. inval.* (Art. 33.4, 43.1), based on *Lobivia pygmaea* var. *knizei*.

Echinocereus bonkeriae ssp. *apachensis* (Blum & Rutow) A. Zimmerman, *Haseltonia* 15: 120, 2009. Basionym: *Echinocereus apachensis*.

Echinocereus engelmannii fa. *munzii* (Parish) Ruinaard, *Succulenta* 89(3): 104-111, 2010. *Nom. inval.* (Art. 33.4), based on *Cereus munzii*.

Echinocereus viereckii ssp. *santamariensis* W. Blum & D. Felix, *Echinocereenfreund* 23(4): 65-66, ill. (pp. 69-74), 2010. Typus: *Taylor* 194 (K).

Echinopsis obrepanda var. *hystrichoides* (F. Ritter) Eb. Scholz, *Echinopseen* 7(1): 12, 2010. *Nom. inval.* (Art. 33.4), based on *Echinopsis hystrichoides*. [Ascribed to F. Ritter 1980.]

Epithelantha greggii ssp. *polycephala* (Backeberg) D. Donati & Zanovello, *Piante Grasse* 30(4): 185, ill. (p. 174), 2010. Basionym: *Epithelantha polycephala*.

Epithelantha greggii ssp. *potosina* D. Donati & Zanovello, *Piante Grasse* 30(4): 186, ill. (p. 175), 2010. Typus: *Hinton & al.* 29229 (Herb. G. B. Hinton, MEXU).

Epithelantha ilariae D. Donati & Zanovello, *Piante Grasse* 30(4): 186, ill. (p. 182), 2010. Typus: *Hinton & al.* 29075 (Herb. G. B. Hinton, MEXU).

Epithelantha pachyrhiza ssp. *elongata* (Backeberg) D. Donati & Zanovello, *Piante Grasse* 30(4): 185, ill. (p. 178), 2010. Basionym: *Epithelantha pachyrhiza* var. *elongata*.

Epithelantha pachyrhiza ssp. *parvula* D. Donati & Zanovello, *Piante Grasse* 30(4): 185, ill. (p. 177), 2010. Typus: *Hinton & al.* 29211 (Herb. G. B. Hinton, MEXU).

Epithelantha pachyrhiza ssp. *pulchra* D. Donati & Zanovello, *Piante Grasse* 30(4): 185, ill. (p. 179), 2010. Typus: *Hinton & al.* 29078 (Herb. G. B. Hinton, MEXU).

Epithelantha unguispina (Boedeker) D. Donati & Zanovello, *Piante Grasse* 30(4): 186, ill. (p. 180), 2010. Basionym: *Mammillaria*

- micromeris* var. *unguispina*.
- Epithelantha unguispina** ssp. **huastecana** D. Donati & Zanovello, *Piante Grasse* 30(4): 186, ills. (p. 181), 2010. Typus: *Hinton* & al. 29228 (Herb. G. B. Hinton, MEXU).
- Gymnocalycium achirasense** ssp. **echinatum** (Neuhuber) Gapon, 11'000 Kilometers around Argentina in *Search of Cacti*, 89, 2010. Basionym: *Gymnocalycium monvillei* var. *echinatum*.
- Gymnocalycium achirasense** ssp. **kainradliae** (Neuhuber) Gapon, 11'000 Kilometers around Argentina in *Search of Cacti*, 89, 2010. Basionym: *Gymnocalycium monvillei* var. *kainradliae*.
- Gymnocalycium achirasense** var. **chacrasense** (Neuhuber) Gapon, 11'000 Kilometers around Argentina in *Search of Cacti*, 89, 2010. Basionym: *Gymnocalycium monvillei* var. *chacrasense*.
- Gymnocalycium achirasense** var. **orientale** (Neuhuber) Gapon, 11'000 Kilometers around Argentina in *Search of Cacti*, 89, 2010. Basionym: *Gymnocalycium monvillei* var. *orientale*.
- Gymnocalycium achirasense** var. **villamercedense** (H. Till & Neuhuber) Gapon, 11'000 Kilometers around Argentina in *Search of Cacti*, 89, 2010. Basionym: *Gymnocalycium monvillei* fa. *villamercedense*.
- Gymnocalycium gertii** Gapon & Schelkunova, *Kakt. Klub* 2010(1-2): 46, ills. (pp. 47-49), 2010. Typus: *Gapon* 08-707 (CORD, WU).
- Gymnocalycium megatae** ssp. **zecheri** Amerhauser, *Gymnocalycium* 23(4): 965, ill., 2010. Typus: *Amerhauser* 01-1636-6 (PY).
- Gymnocalycium morroense** Kulhánek & al., *Gymnocalycium* 23(3): 948-949, ills., 2010. Typus: *Repka* 432 (CORD, WU). [First used as provisional name in *l.c.* 23(2): 915-916, 2010.]
- Gymnocalycium parvulum** ssp. **agnesiae** F. Berger, *Gymnocalycium* 23(3): 957, ills. (pp. 956-957), 2010. Typus: *Berger* 00-175/751 (CORD).
- Lobivia kuehnrichii** var. **antennifera** Rausch, *Echinopsean* 7(2): 49-50, ills., 2010. Typus: *Rausch* 238b (BA).
- Lymanbensonia brevispina** (Barthlott) Barthlott & N. Korotkova, *Willdenowia* 40: 166, 2010. Basionym: *Lepismium brevispinum*.
- Lymanbensonia incachacana** (Cárdenas) Barthlott & N. Korotkova, *Willdenowia* 40: 167, 2010. Basionym: *Rhipsalis incachacana*.
- Lymanbensonieae** N. Korotkova & Barthlott, *Willdenowia* 40: 166, 2010. Typus: *Lymanbensonia* Kimmach.
- Maihueiniopsis nigrispina** ssp. **atroglobosa** Backeberg ex Guiggi & P. Palacios, *Kakt. and. Sukk.* 61(12): 331-332, ills., 2010. Typus: *Ritter* 95 (ZSS 14226). [Based on *Tephrocactus atroglobosus* Backeberg 1962 (*nom. inval.*).]
- Mammillaria columbiana* ssp. *guatemalensis* (Eichlam) Linzen, *Mitteilungsbl. AfM* 34(4): 177-178, 2010. *Nom. inval.* (Art. 33.4), based on *Mammillaria celsiana* var. *guatemalensis*. [The name appears more-over to be illegitimate vs. *M. columbiana* ssp. *yucatanensis*, which is enumerated as synonym.]
- Mammillaria scrippsiana** ssp. **schumacheri** Linzen, *Kakt. and. Sukk.* 61(6): 159-160, ills. (pp. 155-161), 2010. Typus: *Schumacher* 1076 (JE). [English version: *J. Mammillaria Soc.* 50(4): 105-108, ills. (p. 112), 2010.]
- Matucana oreodoxa** ssp. **roseiflora** G. Charles, *Quepo* 24: 64-66, ills., 2010. Typus: *Charles* & al. 1084.04 (USM 230572).
- Matucana paucicostata** ssp. **hoxeyi** G. Charles, *Quepo* 24: 67-70, ills., 2010. Typus: *Charles* & al. 1088.03 (USM 230573).
- Melocactus caesius** ssp. **lobelii** (Suringar) Guiggi, *Cactology* No. 2: 5, 2010. Basionym: *Melocactus lobelii*.
- Melocactus macracanthos** ssp. **stramineus** (Suringar) Guiggi, *Cactology* No. 2: 35, 2010. Basionym: *Melocactus stramineus*.
- Melocactus mazelianus** fa. **guanensis** (Xhonneux & Fernández-Alsono) Guiggi, *Cactology* No. 2: 7, 2010. Basionym: *Melocactus guanensis*.
- Melocactus mazelianus** ssp. **andinus** (R. Gruber ex N. P. Taylor) Guiggi, *Cactology* No. 2: 7, 2010. Basionym: *Melocactus andinus*.
- Melocactus mazelianus** ssp. **schatzlii** (H. Till & R. Gruber) Guiggi, *Cactology* No. 2: 7, 2010. Basionym: *Melocactus schatzlii*.
- Monvillea krapovickiana** R. Kiesling, *Bonplandia (Corrientes)* 19(1): 60-61 ills., 2010. Typus: *Guaglianone* & *Múlgura* 2227 (SI).

- Notocactus albigenmatus* N. Gerloff, Internoto 31(4): 120, ills., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Provisional name used in caption to illustration only.]
- Notocactus spegazzinii* (Gürke) Vích, Kaktusy 47(3): 101, 2010. *Nom. illeg.*, based on *Echinocactus spegazzinii*, *nom. illeg.* (Art. 52.1).
- Notocactus spegazzinii* var. *alacriportanus* (F. Ritter) Vích, Kaktusy 47(3): 101, 2010. *Nom. inval.*, based on *Notocactus arechavaletae* var. *alacriportanus*, *nom. inval.* (Art. 37.1). [This name is moreover invalid under Art. 37.1 and incorrect under Art. 11.4.]
- Notocactus spegazzinii* var. *aureus* (F. Ritter) Vích, Kaktusy 47(3): 101, 2010. *Nom. inval.* (Art. 33.4), based on *Notocactus arechavaletae* var. *aureus*. [This name is moreover incorrect under Art. 11.4.]
- Notocactus theunissenianus* N. Gerloff, Minimus 41(3-4): 11-12, ills., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name.]
- Notocactus variabilis* N. Gerloff, Minimus 41(3-4): 9-11, ills., 2010. Based on Gerloff 1241. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name, probably already in earlier publications.]
- Notocactus wolmannianus* N. Gerloff, Minimus 41(3-4): 9-11, ills., 2010. *Nom. inval.* (Art. 36.1, 37.1). [Used as provisional name, probably already in earlier publications.]
- Opuntia lindheimeri** ‘Linguiformis’ (Griffiths) Guiggi, Rivista Piemont. Storia Nat. 31: 47, 2010. Basionym: *Opuntia linguiformis*.
- Parodia lenninghausii** (K. Schumann) F. H. Brandt ex Eggl & Hofacker, Novon 20(1): 31, 2010. Basionym: *Echinocactus lenninghausii*. [First published invalidly (Art. 33.7(d) by F. H. Brandt, Kakt. Orch.-Rundschau 7(4): 61, 1982.)]
- Parodia neobuenekeri** (F. Ritter) Anceschi & Magli, Cactusinhabitat South America 2005/2010, 33, 2010. Basionym: *Notocactus neobuenekeri*.
- Peleciphora strobiliformis** ‘Fluffy White’ Cattabriga, Cactus & Co. 13(4): 64, ills. (pp. 58-62), 2010. Typus: BOLO 501728 [Ex cult.]. [Dated Dec. 2009, received at ZSS 18. 2. 2010.]
- Pilosocereus crassisepalus** (Buining & Brederoo) Anceschi & Magli, Cactusinhabitat South America 2005/2010, 33, 2010. Basionym: *Cereus crassisepalus*.
- Pilosocereus lanuginosus** ssp. **colombianus** (Rose) Guiggi, Cactology No. 2: 12, 2010. Basionym: *Cephalocereus colombianus*.
- Pilosocereus lanuginosus** ssp. **moritzianus** (Otto ex Pfeiffer) Guiggi, Cactology No. 2: 12, 2010. Basionym: *Cereus moritzianus*.
- Pilosocereus lanuginosus** ssp. **tillianus** (R. Gruber & Schatzl) Guiggi, Cactology No. 2: 13, 2010. Basionym: *Pilosocereus tillianus*.
- Praepilosocereus** Guiggi, Cactology No. 2: 18, 2010. Typus: *Pilocereus mortensenii* Croizat.
- Praepilosocereus mortensenii** (Croizat) Guiggi, Cactology No. 2: 19, 2010. Basionym: *Pilocereus mortensenii*.
- Rebutia minuscula** ssp. **wessneriana** (Bewerunge) Muruaga, Darwiniana 46(2): 326, 2008. Basionym: *Rebutia wessneriana*. [Omitted previously.]
- Selenicereus inermis** ssp. **tricae** (D. R. Hunt) Ralf Bauer, EPIG 66: 12, ills. (pp. 5-15), 2010. Basionym: *Selenicereus tricae*.
- Strombocactus corregidorae** S. Arias & E. Sánchez, Revista Mex. Biodivers. 81: 620, ills. (p. 622), 2010. Typus: Sánchez 338 (MEXU, IEB, QMEX).
- Subpilocereus fricii** (Backeberg) Guiggi, Cactology No. 2: 19, 2010. Basionym: *Cereus fricii*.
- Subpilocereus fricii** ssp. **horrispinus** (Backeberg) Guiggi, Cactology No. 2: 20, 2010. Basionym: *Cereus horrispinus*.
- Sulcorebutia insperata* R. Müller, Echinopseen 7(1): 26-27, ills., 2010. Based on Müller 812. *Nom. inval.* (Art. 36.1, 37.1). [Published as provisional name.]
- Sulcorebutia viridis** P. Lechner & Draxler, Kakt. and. Sukk. 61(3): 67-68, ills., 2010. Typus: Lechner 20.483 (LPB).
- Uebelmannia horrida** (P. J. Braun) Anceschi & Magli, Cactusinhabitat South America 2005/2010, 33-34, 2010. Basionym: *Uebelmannia pectinifera* var. *horrida*. [Name informally used in horticulture at least since the 1990ies, and first cited as synonym by Nyffeler, Bot. Jahrb. Syst. 120: 162, 1998.]
- Uebelmannia pectinifera** var. **eriacactoides** Repka & al., Cactus & Co. 14(1): 19, 23, ills. (pp. 4-27), 2010. Typus: Krajca & Toman RNK078 (HUEFS).

Weberbauerocereus madidiensis Quispe & A. Fuentes, *Novon* 20: 326-327, ills., 2010. Typus: *Fuentes & Quispe* 11285 (LPB, MO, USM).

Weingartia camargoensis (Gertel & Jucker) Amerhauser & K. Augustin, *Gymnocalycium* 23(2): 924, 2010. Basionym: *Sulcorebutia camargoensis*.

Wigginsia horstii var. *prestlei* (Gerloff) Vích, *Cactaceae etc.* 20(3): 106-110, 2010. *Nom. inval.* (Art. 33.4), based on *Notocactus neohorstii* var. *prestlei*. [Combination ascribed to Gerloff.]

CRASSULACEAE

Aeonium 'Rangitoto' E. Zimer, *New Zealand Cact. Succ. J.* 53(2): 37, ill., 2010. [Probably (*Aeonium haworthii* × *A. undulatum*) × *A. haworthii*, found in a neophyte stand in New Zealand.]

Echeveria 'Green Enigma' M. Bischofberger & Mottram, *CactusWorld* 28(1): 52, ills. (p. 50), 2010. [Parentage unknown, usually cultivated under the name *Echeveria* 'Pulchella'.]

Echeveria brachetii Reyes & González Zorzano, *Cact. Suc. Mex.* 54(3): 76-81, ills., 2009. Typus: *Reyes & Brachet* 5728 (MEXU). [Omitted previously.]

Echeveria carminea ssp. *ozolotepecensis* Reyes & Brachet, *Cact. Suc. Mex.* 54(3): 93-95, 2009. *Nom. inval.* (Art. 34.1b). [Used as provisional name. Omitted previously.]

Echeveria mondragoniana Reyes & Brachet, *Cact. Suc. Mex.* 54(3): 85-89, ills., 2009. Typus: *Reyes & Brachet* 6287 (MEXU). [Omitted previously.]

Echeveria perezcalixii Jimeno-Sevilla & Carrillo, *Brittonia* 62(4): 303-306, ills., 2010. Typus: *Jimeno-Sevilla & al.* 671 (IEB, IBUG, MEXU, NY, XAL).

Echeveria roseiflora Reyes & González Zorzano, *Cact. Suc. Mex.* 55(1): 20-25, ills., 2010. Typus: *Salazar & Soto* 7249 (MEXU).

Echeveria zorzaniana Reyes & Brachet, *Cact. Suc. Mex.* 54(3): 91-94, ills., 2009. Typus: *Reyes* 5118 (MEXU). [Omitted previously.]

Jovibarba pseudohirta (Leute) Landolt, *Fl. Indicativa*, 269, 2010. Basionym: *Diopogon arenarius* ssp. *pseudohirtus*.

Pachyphytum cuicatecanum (Reyes & al.) Kimmach, *Cact. Succ. J. (US)* 82(3): 125, ill., 2010. Basionym: *Echeveria cuicatecana*.

Rhodiola bouffordii H. Ohba, *Makinoa*, n.s. 7: 63-67, ills., 2008. Typus: *Boufford & al.* 26847 (HNWP, A, PE, TI). [Omitted previously.]

Rhodiola wenchuanensis Tao Li & Hao Zhang, *Novon* 20(1): 53-55, ills., 2010. Typus: *Li* 060707 (WCU).

Rosularia alpestris var. *vvedenskyi* (U. P. Prатов) Lazkov, *Bot. Zhurn. (Moscow & Leningrad)* 95(6): 886, 2010. Basionym: *Rosularia vvedenskyi*.

Sedum 'Canny Hinny' R. Stephenson, *Newslett. Sedum Soc. No.* 94: 73-75, ills., 2010. [= *Sedum burrito* × *S. clavatum*.]

Sedum hypogaeum Reyes & al., *Cact. Suc. Mex.* 54(3): 69-74, ills., 2009. Typus: *Reyes* 5407 (MEXU). [Omitted previously.]

Sedum valens Björk, *Madroño* 57(2): 136-137, ills., 2010. Typus: *Björk* 8008 (ID, WS).

Sempervivum armenum ssp. *insigne* (Muirhead) F. Karaer, *Bangladesh J. Bot.* 39(1): 104, 2010. Basionym: *Sempervivum armenum* var. *insigne*.

Sempervivum globiferum ssp. *lagarinianum* (Gallo) R. Stephenson, *CactusWorld* 28(4): 233, ill., 2010. Basionym: *Jovibarba globifera* ssp. *lagariniana*.

Sempervivum tunaekimii Yildirimly & F. Karaer ex Yildirimli, *Ot Sist. Bot. Dergisi* 16(1): 12-13, 2010. Based on *Güner* 1062. *Nom. illeg.* (Art. 52.1). [Omitted previously. Illegitimate versus *Sempervivum ekimii* Karaer 2008, which is validly published, contrary to the assumptions of the authors. Even though the new taxon is based on a different type than *Sempervivum ekimii*, the name is superfluous under ICBN 7.5.)]

EUPHORBIACEAE

Euphorbia subgen. **Epiphyllodes** Binoj Kumar & M. S. Balakrishnan, *Gen. Euphorbia India Tax. Revis.*, 287, 2010. Typus: *Euphorbia epiphyllodes* Kurz.

Euphorbia ambovombensis var. *ambatomenahensis* Rebmann, Cact. Succ. 2(1): 30-31, ill., 2010. Based on *Rebmann* 11. *Nom. inval.* (Art. 36.1). [First published invalidly (Art. 37.7) in *Succulentas* 2003(3): 20, 2003. The attempted "validation" fails for lack of a direct reference to the previously published Latin diagnosis.]

Euphorbia fusiformis var. **khandallensis** (Blatter & Hallberg) Binojkumar & N. P. Balakrishnan, *Fam. Euphorbiac.* India, 280, 2007. Basionym: *Euphorbia khandallensis*. [Omitted previously.]

Euphorbia neochamaeclada Bruyns, *Bothalia* 40(2): 178, 2010. Typus: *Bruyns* 10402a (BOL, E, MO). [*Nom. nov. pro Euphorbia chamaeclada* Bruyns 2009 (*non Euphorbia chamaeclada* Ule 1908).]

GERANIACEAE

Pelargonium alternans ssp. **longicalcar** M. Becker & F. Albers, *Schumannia* 6: 213, ill. (pp. 209-211), 2010. Typus: *Albers & Becker* 4458 (MSUN 3904).

Pelargonium alternans ssp. **parviinflorescens** M. Becker & F. Albers, *Schumannia* 6: 213, ill. (pp. 209-211), 2010. Typus: *Albers & Becker* 4402 (MSUN 3890).

GESNERIACEAE

Sinningia bullata Chautems & M. Peixoto, *Candollea* 65(2): 242, figs. 1-2 (pp. 243-244), 2010. Typus: *Reis & al.* 5040 (HBR, G, HUMC, US).

Sinningia canastrensis Chautems, *Candollea* 65(2): 246, figs. 4-5 (pp. 247-248), 2010. Typus: *Romero & al.* 3258 (HUFU, G).

Sinningia gerdiana Chautems, *Candollea* 65(2): 248-249, figs. 6-7 (pp. 250-251), 2010. Typus: *Hatschbach* 33846 (MBM, Z).

Sinningia globulosa Chautems & M. Peixoto, *Candollea* 65(2): 252, figs. 8-9 (pp. 253-254), 2010. Typus: *Souza* s.n. in *Peixoto* 25 (HUMC).

Sinningia helioana Chautems & Rossini, *Candollea* 65(2): 255, figs. 10-11 (pp. 256-257), 2010. Typus: *Boudet Fernandes & al.* 3237 (MBML).

Sinningia muscicola Chautems & al., *Candollea* 65(2): 258, figs. 12-13 (pp. 259-260), 2010. Typus: *Braga & Bovini* 5095 (RUSU).

HYACINTHACEAE

Coilonox scabrocostatum (U. & D. Müller-Doblies) Speta, *Stapfia* 75: 175, 2001. Basionym: *Ornithogalum scabrocostatum*. [Omitted previously.]

Coilonox unifoliatum (G. D. Rowley) Speta, *Stapfia* 75: 176, 2001. Basionym: *Albuca unifoliata*. [Omitted previously.]

Coilonox zebrinum (Baker) Speta, *Stapfia* 75: 176, 2001. Basionym: *Albuca zebrina*. [Omitted previously.]

Ornithogalum lebaense van Jaarsveld, *Herbertia*, [ser. 3], 64: 92-93, ill. (pp. 95-96, 100-103), 2010. Typus: *van Jaarsveld* 22611 (LUB, NBG, WIND).

MONTIACEAE

Calyptridium arizonicum (J. T. Howell) M. G. Simpson & al., *Madroño* 57(3): 158, 2010. Basionym: *Calyptridium parryi* var. *arizonicum*.

Claytonia parviflora var. **utahensis** (Rydberg) N. H. Holmgren, *Brittonia* 62(3): 265, 2010. Basionym: *Limnia utahensis*.

Lewisia kelloggii ssp. **yosemitana** (Jepson) D. W. Taylor, *Fl. Yosemite Sierra*, 373, 2010. Basionym: *Lewisia yosemitana*.

Lewisia pygmaea var. **sierrae** (Ferris) D. W. Taylor, *Fl. Yosemite Sierra*, 373, 2010. Basionym: *Lewisia sierrae*.

Phemeranthus punae (R. E. Fries) Egli & Nyffeler, *Taxon* 59(1): 240, 2010. Basionym: *Calandrinia punae*.

OXALIDACEAE

- Oxalis flava** var. **fabaefolia** (Jacquin) Dreyer & Oberlander, *Blumea* 55: 256, 2010. Basionym: *Oxalis fabaefolia*.
- Oxalis flava** var. **unifoliolata** Dreyer & Oberlander, *Blumea* 55: 258, ill. (p. 257), 2010. Typus: *Dreyer* 829 (STEU, BOL, NBG).

PIPERACEAE

- Peperomia glauca** (Pino) Pino, *Avonia* 28(2): 48, figs. 26-30 (pp. 49, 51), 2010. Basionym: *Peperomia galioides* var. *glauca*.
- Peperomia inaequalifolia** var. **galioides** (Kunth) Pino, *Avonia* 28(2): 45, figs. 16-25 (pp. 46, 49), 2010. Basionym: *Peperomia galioides*.
- Peperomia nivalis** var. **lepadiphylla** (Trelease) Pino, *Avonia* 28(2): 52, figs. 35-40 (pp. 51, 53), 2010. Basionym: *Peperomia lepadiphylla*. [Incorrectly given as "var. nov.".]

PORTULACACEAE

- Portulaca cypria** Danin, *Fl. Medit.* 18: 92, fig. 6 (p. 98), 2008. Typus: *Hadjikiryakou* 6976 (PAL, B, HUI, Herb. Hadjikyriakou). [Omitted previously.]
- Portulaca papillatostellulata** (Danin & H. G. Baker) Danin, *Lagascalia* 26: 76, 2006. Basionym: *Portulaca oleracea* ssp. *papillatostellulata*. [Sphalm. 'papillato-stellulata'. Omitted previously.]
- Portulaca rausii** Danin, *Fl. Medit.* 18: 92, fig. 5 (p. 98), 2008. Typus: *Danin & Domina* s.n. (PAL). [Omitted previously.]
- Portulaca sicula** Danin & al., *Fl. Medit.* 18: 92, fig. 9 (p. 100), 2008. Typus: *Danin & Domina* s.n. (PAL). [Omitted previously.]
- Portulaca trituberculata** Danin & al., *Fl. Medit.* 18: 91, fig. 2 (p. 96), 2008. Typus: *Danin & Domina* s.n. (PAL, HUI). [Omitted previously.]
- Portulaca zaffranii* Danin, *Fl. Medit.* 18: 92, fig. 10 (p. 100), 2008. *Nom. inval.* (Art. 37.1). [Omitted previously.]

RUBIACEAE

- Phialiphora** Groeninckx, *Taxon* 59(6): 1821, 2010. Typus: *Phialiphora bevazahensis* Groeninckx.
- Phialiphora bevazahensis** Groeninckx, *Taxon* 59(6): 1822, ill. (pp. 1821-1822), 2010. Typus: *De Block & Rakotonasolo* 822 (BR, MO, P, TAN).
- Phialiphora capitulata** Groeninckx, *Taxon* 59(6): 1823-1824, ill., 2010. Typus: *Decary* 8084 (P).

RUSCACEAE

- Sansevieria ascendens** L. E. Newton, *Bradleya* 28: 19-21, ill., 2010. Typus: *Newton* 5842 (K, EA).
- Sansevieria bacularis** Pfennig ex A. Butler & Jankalski, *Sansevieria* No. 22: 3-4, ill. (pp. 3-7), 2010. Typus: *Bequaert* 5367 (BR). [First used as provisional name (*nom. inval.*, Art. 36.1, 37.1), by Pfennig in Morgenstern, *Sansevierias*, 28, fig. 11, 1979.]
- Sansevieria ballyi** 'Ann Robertson' L. E. Newton, *Sansevieria* No. 22: 12, ill. (p. 11), 2010. Based on *Newton & al.* 5981.
- Sansevieria powysii** L. E. Newton, *Bradleya* 28: 23-25, ill., 2010. Typus: *Powys* 1250 (K, EA).

BIBLIOGRAPHIA

- [1] **Abud, H. F., Gonçalves, N. R., Goés Esperon Reis, R. de, Sousa Pereira, D. de & Bezerra, A. M. E. (2010)** Germinação e expressão morfológica de frutos, sementes e plântulas de *Pilosocereus pachycladus* Ritter. *Revista Ci. Agron. (Fortaleza)* 41: 468-474.
- [2] **Aditya, S. (2010)** A revision of geophytic *Euphorbia* species from India. *Euphorbia World* 6(1): 18-24, ill.
- [3] **Albers, F. & Becker, M. (2010)** Phylogeny and speciation in succulent *Geraniaceae* (Geraniales). Phylogenie und Artbildung bei den sukkulenten *Geraniaceae* (Geraniales). *Schumannia* 6: 59-67, ill. [= Biodiversity & Ecology 3.]
- [4] **Alcalá, R. E., Mariano, N. A., Osuna, F. & Abarca, C. A. (2010)** An experimental test of the defensive role of sticky traps in the carnivorous plant *Pinguicula moranensis* (*Lentibulariaceae*). *Oikos* 119: 891-895.
- [5] **Almeida, O. J. G. de, Sartori-Paoli, A. A. & Souza, L. A. de (2010)** Flower morpho-anatomy in *Epiphyllum phyllanthus* (*Cactaceae*). *Revista Mex. Biodivers.* 81: 65-80, ill.
- [6] **Alsemgeest, W. & Roosbroeck, J. van (2010)** De vormen rond *Agave parryi* – deel 1 / 2 / 3 / 4. *Succulenta (Netherlands)* 89(1): 33-40, (2): 68-74, (3): 178-182, (4): 276-281, ill.
- [7] **Anonymus & Binoj Kumar, M. S. (2010)** Indian *Sansevierias*. *ISOCS J.* 2010(3): 16-20, key, ill. [Probably an abstracted version of a paper published by Binojkumar (note spelling) in 2002.]
- [8] **Arakaki, M., Soltis, D. E., Soltis, P. S. & Speranza, P. R. (2010)** Characterization of polymorphic microsatellite loci in *Haageocereus* (*Trichocereae, Cactaceae*). *Amer. J. Bot.* 97: E17-E19.
- [9] **Arroyo-Cosultchi, G., Terrazas, T., Arias, S. & López-Mata, L. (2010)** Delimitación de *Neobuxbaumia mezcalaensis* y *N. multiareolata* (*Cactaceae*) con base en análisis multivariados. *Bol. Soc. Bot. México* 86: 53-64.
- [10] **Arruda, E. & Melo de Pinna, G. F. (2010)** Wide-band tracheids (WBTs) of photosynthetic and non-photosynthetic stems in species of *Cactaceae*. *J. Torrey Bot. Soc.* 137: 16-29.
- [11] **Audissou, J.-A. (2010)** Notes on *Ornithogalum lithopsoides*. *CactusWorld* 28(3): 147-150, ill.
- [12] **Barna, J. (2010)** [Hungarian:] *Rosularia serrata* (Linné) A. Berger on the island of Kos. *Kaktusz Vilag* 34(1): 24-29, ill.
- [13] **Bauer, R. (2010)** Was ist *Selenicereus tricae* D. R. Hunt? *EPIG* 66: 5-15, ill.
- [14] **Baues, W. (2010)** *Echinocereus triglochidiatus* ssp. *mojavensis* f. *inermis* – ein neuer Standort? *Echinocereenfreund* 23(3): 75-78, ill.
- [15] **Bayer, M. B. (2010)** *Haworthia* update. *Essays on Haworthia*. Volume 6. St. Michaels on Wyre (GB): Alsterworthia International / Harry Mays. 104 pp., ill.
- [16] **Bayer, M. B. (2010)** *Haworthias* and chameleons. *Alsterworthia Int.* 10(1): 16-23, ill.
- [17] **Bayer, M. B. (2010)** Supplement – *Haworthia* Update volume 5 part 2, replacement for Chapter 14. *Haworthia jakubii* – another new species? *Alsterworthia Int.* 10(1): 24-27, ill.
- [18] **Bayer, M. B. (2010)** Variants of *Haworthia aristata* at Kaboega. *Haworthiad* 24(1): 20-23, ill.
- [19] **Bayer, M. B. (2010)** Klip River plants in cultivation. *Haworthiad* 24(2): 36-37, ill. [On *Haworthia cooperi* variability.]
- [20] **Bayer, M. B. (2010)** A case of mistaken identity. *Haworthiad* 24(2): 40-41, ill. [On *Haworthia limifolia*, *H. attenuata* and *H. fasciata*.]
- [21] **Bayer, M. B. (2010)** *Haworthia minima* 'opalina'. *Haworthiad* 24(3): 64-65, ill.
- [22] **Bayer, M. B. (2010)** *Haworthia kingiana* and *H. minima* variants. *Haworthiad* 24(3): 68-74, ill.
- [23] **Bayer, M. B. (2010)** Comments on *Haworthiad* 24 No. 2, 2010. *Haworthiad* 24(3): 79-86, ill. [On *Haworthia arachnoidea*, *H. pygmaea*, *H. cooperi* and *H. aristata* variants.]
- [24] **Becker, M. & Albers, F. (2010)** Pollinator

shift and speciation in *Pelargonium alternans* (Geraniaceae). Bestäuberwechsel und Artbildung bei *Pelargonium alternans* (Geraniaceae). Schumannia 6: 207-226, ill. [= Biodiversity & Ecology 3.]

[25] **Becker, R. W., Moeller, A. & Veldhuisen, R. van (2010)** About sticks and pencils (part 2): *Euphorbia burmannii* E. Mey. ex Boiss. Euphorbia World 6(1): 8-9, ill.

[26] **Becker, R. W., Moller, A. & Veldhuisen, R. van (2010)** *Euphorbia caterviflora* N. E. Br. Euphorbia World 6(2): 26-27, ill.

[27] **Beckert, K. (2010)** Ergänzende Bemerkungen zum Artikel "*Sulcorebutia heliosoides* und Nachbarn". Echinopseer 7(2): 80-84, ill.

[28] **Bell, C. D., Soltis, D. E. & Soltis, P. S. (2010)** The age and diversification of the Angiosperms re-revisited. Amer. J. Bot. 97(8): 1296-1303. [Includes numerous appendices available on-line only.]

[29] **Bercht, L. (2010)** Het geslacht *Gymnocalycium* – een overzicht (VI) / (VII) / (VIII) / (IX) / (X) / (XI). Succulenta (Netherlands) 89(1): 25-32, (2): 79-86, (3): 130-134, (4): 170-177, (5): 221-226, (6): 268-274, ill., maps. [Continued from l.c. 88(6), 2009; continued in l.c. 90(1), 2011.]

[30] **Bercht, L. (2010)** *Morawetzia* of toch *Oreocereus*? Succulenta (Netherlands) 89(4): 157-159, ill.

[31] **Bertram, G. (2010)** A division in populations of *Gibbaeum nuciforme* (Aizoaceae) detected by AFLP markers indicates pleistocene refugia in the Little Karoo, South Africa. Pleistozäne Refugien von *Gibbaeum nuciforme* (Aizoaceae) in der Kleinen Karoo (Südafrika) anhand einer Trennung von Populationen anhand AFLP-Markern detektiert. Schumannia 6: 227-240, ill. [= Biodiversity & Ecology 3.]

[32] **Biletzke, D. (2010)** Ein bisher in der Literatur nicht erwähnter *Melocactus*-Standort auf Kuba. Berliner Kakt.-Blätt. 10: 36-37, ill. [On *Melocactus nagyi*.]

[33] **Binojkumar, M. S. & Balakrishnan, N. P. (2010)** The genus *Euphorbia* L. (*Euphorbiaceae*) in India. A taxonomic revision. Dehra Dun (IN): Bishen Singh Mahendra Pal Singh. viii + 430 pp., ill., keys.

[34] **Bischofberger, M. & Mottram, R. (2010)** Two mysterious hybrids. CactusWorld 28(1): 49-53, ill. [On *Echeveria pulchella* and *Echeveria expatriata*.]

[35] **Bischofberger, M. & Moullec, J.-M. (2010)** *Crassula ausensis* ssp. *titanopsis* Pavelka 1998 under the microscope. Cact.-Avent. Int. No. 87: 34-36, ill.

[36] **Björk, C. R. (2010)** *Sedum valens* (Crassulaceae), a new species from the Salmon River Canyon of Idaho. Madroño 57(2): 136-140, ill., map, key. [Includes a key to *Sedum* spp. of Idaho.]

[37] **Blair, A. W. & Williamson, P. S. (2010)** Pollen dispersal in Star Cactus (*Astrophytum asterias*). J. Arid Environm. 74(4): 525-527.

[38] **Blum, W. & Felix, D. (2010)** Verschollene Typen. Echinocereenfreund 23(2): 39-50, ill.

[39] **Blum, W. & Felix, D. (2010)** *Echinocereus viereckii* und seine Unterarten. Echinocereenfreund 23(3): 60-74, ill.

[40] **Bockemühl, J. (2010)** *Hatiora herminiae* (Compos-Porto & Castellanos) Barthlott. EPIG 65: 26-29, ill.

[41] **Boeuf, T., Heim, A. & Weissbeck, S. (2010)** Faszination bunt. Die Welt der panschierten Yuccas. Münster (GE): Natur und Tier-Verlag GmbH. 135 pp., ill.

[42] **Bolliger, T. (2010)** *Yucca filamentosa* × *Yucca reverchonii*. Kakt. and. Sukk. 61(5): 127-131, ill.

[43] **Bonnefond, J. (2010)** *Escobaria robbinsorum*. Terra Seca 2010(4): 12-19, ill. [Included for the fruit illustrations.]

[44] **Bourguignon, V. (2010)** *Sedum aetense* Tineo ex Guss. (Crassulaceae), a new species record for the flora of Greece. Adansonia, n.s. [ser. 3], 32(1): 121-123, ill., map.

[45] **Braga, J. M. A. & Freitas, M. de F. (2010)** Neotypification of *Rhipsalis triangularis* Werderm. (Cactaceae), a critically endangered species from southeastern Brazil. Adansonia, n.s. [ser. 3], 32(2): 235-238, ill.

[46] **Brailovsky Signoret, D. & Hernández, H. M. (2010)** Mazapil, Zacatecas: Diversity and conservation of cacti in a poorly-known arid region in northern Mexico. Cact. Succ. J. (Los

Angeles) 82(5): 197-202, ills., maps.

[47] **Braun, G. (2010)** *Echinocereus xroetteri* (Engelmann) Ruempler HK 1284. *Echinoce-reenfreund* 23(1): 20-26, ills. [Included for the photographs showing flower colour variability.]

[48] **Breslin, P. (2010)** An *Echinomastus* by any other name / comunque lo si chiami. *Cactus & Co.* 14(2): 4-14, ills.

[49] **Breuer, I. (2010)** The genus *Haworthia*. Book 1. St. Michaels on Wyre (GB): Alsterwor-thia International. 86 pp., ills., maps. [The numerous unpublished provisional names are not further covered in this RPS.]

[50] **Brown, D. P. (2010)** Self-fertilization of a *Schlumbergera truncata* cultivar: Breakdown of self-incompatibility. *Haseltonia* 16: 54-56, ill.

[51] **Bruyns, P. V. (2010)** Towards the phylo-geny of the succulent *Euphorbiaceae*. *Der Weg zur Phylogenie der sukkulenten Euphorbiaceae*. *Schumannia* 6: 37-58, ills. [= Biodiversity & Ecology 3.]

[52] **Bruyns, P. V., Al Farsi, A. & Hedderson, T. (2010)** Phylogenetic relationships of *Carallu-ma* R. Br. (*Apocynaceae*). *Taxon* 59(4): 1031-1043, SEM-ills.

[53] **Bugaret, F. (2010)** The genus *Jasminoce-reus* Britton & Rose. *Cact.-Avent. Int. No.* 87: 2-5, ills. [Included for the photographs of fruiting specimens.]

[54] **Busch, L. (2010)** In Kultur beobachtet: Wurzelschösslinge. *Echinopseer* 7(2): 70-71, ills. [Report of offset from root in *Sulcorebutia tarabucoensis*.]

[55] **Busch, L. (2010)** Die gelbblütigen Digito-rebutien, Teil 4: *Digitorebutia pygmaea* var. *knizei* WR 676. *Echinopseer* 7(2): 76-79, ills., map.

[56] **Bustamante, E., Casas, A. & Búrquez, A. (2010)** Geographic variation in reproductive success of *Stenocereus thurberi* (*Cactaceae*): Effects of pollination timing and pollinator guild. *Amer. J. Bot.* 97(12): 2020-2030.

[57] **Butler, A. & Jankalski, S. (2010)** *Sanse-vieria bacularis* sp. nova and species with which it has been confused. *Sansevieria* 22: 3-9, ills.

[58] **Cacho, N. I., Berry, P. E., Olson, M. E., Steinmann, V. W. & Baum, D. A. (2010)** Are

spurred cyathia a key innovation? Molecular systematics and trait evolution in the Slipper Spurges (*Pedilanthus* clade: *Euphorbia*, *Euphor-biaceae*). *Amer. J. Bot.* 97(3): 493-510, ills.

[59] **Campostrini Forzza, R. (ed.) (2010)** Catálogo de plantas e fungos do Brasil. Rio de Janeiro (BR): Andrea Jakobsson Estúdio / Instituto de Pesquisas Jardim Botânico do Rio de Janeiro. 2 vols.

[60] **Carlquist, S. (2010)** Caryophyllales: A key group for understanding wood anatomy charac-ter states and their evolution. *Bot. J. Linn. Soc.* 164: 342-393, ills.

[61] **Caruso, M., Curro, S., Casas, G. L., La Malfa, S. & Gentile, A. (2010)** Microsatellite markers help to assess genetic diversity among *Opuntia ficus-indica* cultivated genotypes and their relation with related species. *Pl. Syst. Evol.* 290: 85-97.

[62] **Castillon, J.-B. (2010)** Description of two new Madagascan taxa in the genus *Aloe* (*Aspho-delaceae*); about *Aloe mandotoensis* J.-B. Castillon. *Cact.-Avent. Int. No.* 85: 2-8, ills.

[63] **Castillon, J.-B. & Castillon, J.-P. (2010)** Les *Aloe* de Madagascar. The *Aloe* of Madagas-car. Etang-Salé (FR): Published by the authors. 399 pp., ills. [A first electronic supplement was published in 2011.]

[64] **Castro-Castro, A., Rodríguez, A., Var-gas-Amado, G. & Ramírez-Delgadillo, R. (2010)** Variación morfológica del género *Proch-nyanthes* (*Agavaceae*). *Acta Bot. Mex.* 92: 29-49, ills.

[65] **Cave, R. L., Birch, C. J., Hammer, G. L., Erwin, J. E. & Johnston, M. E. (2010)** Floral ontogeny of *Brunonia australis* (*Goodeniaceae*) and *Calandrinia* sp. (*Portulacaceae*). *Austral. J. Bot.* 58(1): 61-69, ills.

[66] **Chahinian, B. J. (2010)** The spoon-shaped *Sansevierias*. *Sansevieria* 23: 20-23, ills., map.

[67] **Charles, G. (2010)** Notes on *Borzicactus* in northern Peru. *Bradleya* 28: 1-14, ills., map.

[68] **Cházaro-Basáñez, M. J., Acevedo Rosas, R., Sevilla, D. J. & Zuno Delgadillo, O. (2010)** Las crasuláceas de Jalisco (México): Listado actualizado. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7(2): 26-29.

[69] **Cházaro-Basáñez, M. J., Acevedo-Rosas,**

- R. & Mostul, B. L. (2010)** Un comentario sobre *Mammillaria sartorii* J. A. Purpus y *Mammillaria ericacantha* Link & Otto. *Bouteloua* 7: 37-43, ill.
- [70] **Cházaro-Basáñez, M. J., Machuca-Núñez, J. A. & López-Velazquez, R. (2010)** *Polianthes longiflora* Rose (*Agavaceae*). *Cact.-Avent. Int. No.* 86: 2-9, ill.
- [71] **Cházaro-Basáñez, M. J., Viveros-Colorado, C. & Jimeno-Sevilla, D. (2010)** *Sedum adolphii* [sic!], Carl Albert Purpus, and the Sulphur Spring mystery. *Cact. Succ. J. (Los Angeles)* 82(1): 5-9, ill., map.
- [72] **Chiarini, F. E., Moreno, N. C., Barboza, G. E. & Bernardello, G. (2010)** Karyotype characterization of Andean *Solanoideae* (*Solanaceae*). *Caryologia* 63(3): 278-291. [Includes data on *Nolana*.]
- [73] **Chomiccki-Bayada, G. (2010)** Aspects de la biologie de *Myrmecodia beccarii* Hook. f. *Terra Seca* 2010(1): 20-29, ill.
- [74] **Christophe, A. (2010)** *Dorstenia gigas*. *Cact. Succ.* 2(1): 16-19, ill. [Included for the illustrations.]
- [75] **Cisneros, A. & Tel-Zur, N. (2010)** Embryo rescue and plant regeneration following interspecific crosses in the genus *Hylocereus* (*Cactaceae*). *Euphytica* 174: 73-82.
- [76] **Coelho, A. A. D. P. & Giulietti, A. M. (2010)** O gênero *Portulaca* L. (*Portulacaceae*) no Brasil. *Acta Bot. Brasil.* 24(3): 655-670, key, ill.
- [77] **Cole, D. T. (2010)** Appunti su / Brief notes on *Pterodiscus*. *Cactus & Co.* 13(4): 52-57, ill. [Dated 2009, received at ZSS 18. 2. 2010.]
- [78] **Cota-Sánchez, J. H. (2010)** Evolución de cactáceas en la región de Golfo de California, México (II parte). *Viviparidad, biología reproductiva e implicaciones taxonómicas y evolutivas*. *Suculentos (Barcelona)* No. 50: 3-9, ill.
- [79] **Cota-Sánchez, J. H. (2010)** Evolución de cactáceas en la región de Golfo de California, México (y III parte). *El género *Ferocactus* (*Cactaceae: Cactoideae*)*. Aspectos taxonómicos y filogenéticos. *Suculentos (Barcelona)* No. 51: 18-27, ill., maps.
- [80] **Cota-Sánchez, J. H. & Bomfim-Patricio, M. C. (2010)** Seed morphology, polyploidy and the evolutionary history of the epiphytic cactus *Rhipsalis baccifera* (*Cactaceae*). *Polibotánica* 29: 107-129, ill.
- [81] **Court, D. (2010)** Succulent flora of Southern Africa. Revised edition. Cape Town (ZA): Struik Nature. Ed. 3; 336 pp., ill.
- [82] **Craib, C. (2010)** Geophytes and succulents of the dolomite outcrops near Lichtenburg in South Africa's Northwest Province. *Cact. Succ. J. (Los Angeles)* 82(4): 152-155, ill.
- [83] **Craib, C. & Marx, G. (2010)** *Ceropegia craibii* found following fire with an account of the propagation and cultivation of the species. *Cact. Succ. J. (Los Angeles)* 82(2): 53-58, ill.
- [84] **Crouch, N. R. & Styles, D. G. A. (2010)** Notes on African plants. *Lamiaceae*. Rediscovery in South Africa of the neglected African vegetable *Plectranthus esculentus*. *Bothalia* 40(1): 65-67, ill, map.
- [85] **Crouch, N. R., Beaumont, A. & Smith, G. F. (2010)** Notes on African plants. *Passifloraceae*. First description of female flowers of the dioecious *Adenia fruticosa* subsp. *trifoliata*. *Bothalia* 40(1): 78-81, ill., map.
- [86] **Crouch, N. R., Williams, V. L., Edwards, T. J. & Brueton, V. J. (2010)** Notes on African plants. *Hyacinthaceae*. *Drimia cooperi* in Kwa-Zulu-Natal, and the ethnobotanical trade. *Bothalia* 40(1): 75-78, ill., map.
- [87] **Csaba, K. I. (2010)** Dél-Brazíliai kaktuszok III. *Debreceni Pozsgás-Tár* 2010(1): 32-42, ill. [Included for the illustrations of *Frailea* spp.]
- [88] **Danin, A., Domina, G. & Raimondo, F. M. (2008)** Microspecies of the *Portulaca oleracea* aggregate found on major Mediterranean islands (Sicily, Cyprus, Crete, Rhodes). *Fl. Medit.* 18: 89-107, ill., key. [Omitted previously.]
- [89] **Danzer, S. & Drezner, T. D. (2010)** Demographics of more than 12,000 individuals of a keystone species in the northern Sonoran Desert since the Mid-1800s. *Int. J. Pl. Sci.* 171(5): 538-548.
- [90] **Davidse, G., Sousa S., M., Knapp, S. & Chiang, F. (eds.) (2009)** Flora Mesoamericana. Volumen 4, parte 1: *Cucurbitaceae* a *Polemoniaceae*. México, D.F. (MX) / St. Louis (US)

/ London (GB): Universidad Nacional Autónoma de México / Missouri Botanical Garden / Natural History Museum (London). xvi + 855 pp., keys. [This volume includes the families *Cucurbitaceae*, *Apocynaceae* and *Ericaceae*.]

[91] **Davies, C. (2010)** What is *Mammillaria roseoalba*? J. Mammillaria Soc. 50(2): 38, 40-41, 43-47, ills., map.

[92] **Davies, C. (2010)** *Mammillaria uncinata* and friends. J. Mammillaria Soc. 50(4): 113-117, ills. [German translation in Mitt.-blatt. AfM 35(2): 74-79, ills., 2011.]

[93] **Demaio, P., Barfuss, M. H. J., Till, W. & Chiappella, J. (2010)** Entwicklungsgeschichte und infragenerische Klassifikation der Gattung *Gymnocalycium*: Erkenntnisse aus molekularen Daten. Phylogenetic relationships and infrageneric classification of the genus *Gymnocalycium*: Insights from molecular data. *Gymnocalycium* 23(S.-Ausgabe): 925-946, map, ills. [Russian adaptation in Kakt. Tolko 2010 (4''): 1-17, ills., 2011 ('2010').]

[94] **Diers, L. & Krahn, W. (2010)** Was ist *Frailea laevis*? Kakt. and. Sukk. 61(10): 267-273, ills., (12): 326 [erratum].

[95] **Dimitrov, D. (2010)** *Crassulaceae*. In: Greuter, W. & Raus, T. (eds.): Med-Checklist Notulae, 29. Willdenowia 40(2): 195. [Locality data for *Sedum confertiflorum* and *S. subulatum* from Bulgaria.]

[96] **Domina, G., Schäfer, P. A. & Danin, A. (2010)** Typification and taxonomic status of *Portulaca macrantha* (*Portulacaceae*). Fl. Medit. 20: 187-191, ills.

[97] **Donati, D. & Zanovello, C. (2010)** *Epithelantha* F. A. C. Weber ex Britton & Rose. Piante Grasse 30(4): 165-172, ills.

[98] **Done, C. (2010)** The boab: Australia's isolated *Adansonia*. Bois Forêts Trop. 306: 17-22.

[99] **Douglas, A. C. & Freyre, R. (2010)** Floral development, stigma receptivity and pollen viability in eight *Nolana* (*Solanaceae*) species. Euphytica 174(1): 105-117.

[100] **Dreyer, L. L., Oberlander, K. C. & Roets, F. (2010)** Reassessment of the taxonomic status of *Oxalis fabaefolia* (*Oxalidaceae*) and the description of a unique variety of *Oxalis flava* from the Northern Cape Province of South

Africa. *Blumea* 55(3): 253-258.

[101] **Driant, F. Le (2010)** Joubarbes de France. Terra Seca 2010(2): 10-19, ills., key.

[102] **Dringman, D. (2010)** *Pediocactus nigri-spinus* in the Colocukum Game Range (WA, USA). Cactus & Co. 13(4): 4-19, ills. [Dated 2009, received at ZSS 18. 2. 2010.]

[103] **Durst, E. (2010)** Dioscoree succulente: Un'introduzione. Succulent *Dioscoreae* [sic!]: An introduction. Cactus & Co. 13(4): 20-51, ills. [Dated 2009, received at ZSS 18. 2. 2010. Comprehensive illustrated synopsis.]

[104] **Elling, B., Bertram, G., Rudolph, B. & Jürgens, N. (2010)** Are molecular markers suitable to reveal the invasion history of the Common Iceplant (*Mesembryanthemum crystallinum*, *Aizoaceae*)? Eignen sich molekulare Marker für die Rekonstruktion der Ausbreitungsgeschichte des Eiskrauts (*Mesembryanthemum crystallinum*, *Aizoaceae*)? Schumannia 6: 241-255, ills. [= Biodiversity & Ecology 3.]

[105] **English, N. B., Dettman, D. L. & Williams, D. G. (2010)** A 26-year stable isotope record of humidity and El Niño-enhanced precipitation in the spines of saguaro cactus, *Carnegiea gigantea*. Palaeogeogr. Palaeoclimatol. Palaeoecol. 293: 108-119.

[106] **English, N. B., Dettman, D. L., Sandquist, D. R. & Williams, D. G. (2010)** Daily to decadal patterns of precipitation, humidity, and photosynthetic physiology recorded in the spines of the columnar cactus, *Carnegiea gigantea*. J. Geophys. Res., Biogeosciences 115: paper G02013, [1-12].

[107] **Eskander, J., Lavaud, C. & Harakat, D. (2010)** Steroidal saponins from the leaves of *Agave macroacantha*. Fitoterapia 81(5): 371-374.

[108] **Ettelt, J. & Wittner, H. (2010)** Eine selten beobachtete Pflanze: *Browningia pilleifera*. Kakt. and. Sukk. 61(3): 71-74, ills.

[109] **Ettelt, J. & Wittner, H. (2010)** Der beinahe unsichtbare Kaktus: *Pereskia horrida*. Kakt. and. Sukk. 61(5): 132-134, ills. [Included for the illustrations.]

[110] **Ettelt, J. & Wittner, H. (2010)** *Matucana formosa* bei Balsam am Oberlauf des Amazonas. Kakt. and. Sukk. 61(8): 205-209, ills.

[111] **Faigón, A., Galati, B. G., Rosenfeldt, S.**

& **Kiesling, R. (2010)** Epidermal characters of *Pterocactus* (*Opuntioideae, Cactaceae*). *Haseltonia* 16: 57-66, ills.

[112] **Feria-Arroyo, T. P., Solano, E. & García-Mendoza, A. (2010)** Reevaluación del riesgo de extinción de cinco especies del género *Polygonanthes* L. (*Agavaceae*). *Acta Bot. Mex.* 91: 11-28, ills, map.

[113] **Figueredo, C., Nassar, J. M., García, A. E. & González, J. A. (2010)** Population genetic diversity and structure of *Pilosocereus tillianus* (*Cactaceae, Cereae*), a columnar cactus endemic to the Venezuelan Andes. *J. Arid Environm.* 74: 54-62.

[114] **Fitz-Maurice, W. A. & Fitz Maurice, B. (2010)** A review of *M. fittkaii*, *M. mathildae* and *M. limonensis*, including some philosophical taxonomical meanderings about the *M. crinita* group. *J. Mammillaria Soc.* 50(3): 58-67, ill., map.

[115] **Forster, P. I. (2010)** *Haworthia* 'Ollason's Pride', a new name for an old cultivar. *Alsterworthia Int.* 10(3): 2-3, ills.

[116] **Fritz, G. (2010)** Surprise discoveries of some mesembs in Gauteng. *Aloe* 47(2): 44-46, ills.

[117] **Frohning, H. (2010)** Austrokakteen – eine vernachlässigte Gattung. *Kakt. and. Sukk.* 61(1): 1-9, ills. [Included for the illustrations.]

[118] **Gapon, V. (2010)** 11'000 kilometers around Argentina in search of cacti. Volume 1. Moscow (RU): Luch. 288 pp., ills.

[119] **Gapon, V. & Schelkunova, N. (2010)** [Russian:] In search of *Gymnocalycium papschii* H. Till. *Kakt. Klub* 2010(1-2): 33-51, ills., map.

[120] **Garabelli, G. & Gerloff, N. (2010)** Die Untergattung *Malacocarpus* im Nordosten Uruguays. *Internoto* 31(2): 35-53, ills., map. [Mainly on *Notocactus neoarechavaletae*.]

[121] **García-Mendoza, A. J. (2010)** Revisión taxonómica del complejo *Agave potatorum* Zucc. (*Agavaceae*): Nuevos taxa y neotipificación. *Acta Bot. Mex.* 91: 71-93, ills., key, map.

[122] **Garralla, S., Muruaga, N. B. & Cuadrado, G. (2008)** Morfología polínica de especies argentinas de *Rebutia* s.str. (*Cactaceae, Cactoideae*). *Darwiniana* 46(2): 270-278 ills. [Omitted previously.]

[123] **Garrett, T. Y., Huynh, C. V. & North, G. B. (2010)** Root contraction helps protect the "Living rock" cactus *Ariocarpus fissuratus* from lethal high temperatures when growing in rocky soil. *Amer. J. Bot.* 97: 1951-1960.

[124] **Georghiou, K. & Delipetrou, P. (2010)** Patterns and traits of the endemic plants of Greece. *Bot. J. Linn. Soc.* 162: 130-422. [Includes data for *Crassulaceae*.]

[125] **Gerloff, N. (2010)** Meine Suche nach *Notocactus roseoluteus* Vliet. *Internoto* 31(1): 8-13, ills.

[126] **Gerloff, N. (2010)** *Notocactus langsdorffii* (Lehmann) N. Gerloff & J. Neduchal. *Internoto* 31(3): 67-74, ills.

[127] **Gerloff, N. (2010)** *N.[otocactus] glaucinus* F. Ritter östlich von Santana da Livramento?. *Internoto* 31(3): 80-85, ills.

[128] **Gerloff, N. (2010)** *Notocactus rauschii* var. *fuscus* (F. Ritter) N. Gerloff & J. Neduchal bei Sobradinho. *Internoto* 31(4): 115-117, ills.

[129] **Gerloff, N. (2010)** Fundortdokumentation. *Internoto* 31(4): 117-121, ills. [On *Notocactus rutilans* fa. *robustior*.]

[130] **Gerloff, N. (2010)** [Czech:] *Notocactus tureckianus* (R. Kiesling) W. R. Abraham. *Minimus* 41(1-2): 1-5, ills.

[131] **Gerloff, N. (2010)** [Czech:] Notocacti from the roadside near Cerro Palomas. *Minimus* 41(1-2): 8-11, ills. [On *Notocactus arechavaletae* var. *limiticola*.]

[132] **Gerloff, N. (2010)** [Czech:] Interesting Notocacti along the Ruta 8. *Minimus* 41(3-4): 1-5, ills. [On *Notocactus brederoianus*.]

[133] **Gerloff, N. (2010)** [Czech:] Undescribed species or forms of *Notocactus neoarechavaletae*. *Minimus* 41(3-4): 9-12, ills.

[134] **Gerloff, N. (2010)** Chi divora i fiori del *Notocactus* a fiore rosso? / Blütenfresser in rotblühenden Notokakteen. *Piante Grasse* 30 (3): 106-114, ills.

[135] **Gertel, W. & Latin, W. (2010)** Sulcorebutien - Kleinode aus Bolivien. Pforzheim (GE): Deutsche Kakteen-Gesellschaft. 320 pp., ills. [= Sonderausgabe der Deutschen Kakteen-Gesellschaft e.V.]

[136] **Gibbs, J. P., Sterling, E. J. & Zabala, F.**

- J. (2010)** Giant tortoises as ecological engineers: A long-term quasi-experiment in the Galapagos Islands. *Biotropica* 42(2): 208-214.
- [137] **Gilbert, M. G. & Thulin, M. (2010)** (1959) Proposal to reject *Lasiostelma somalense* (*Apocynaceae*). *Taxon* 59(4): 1282-1283.
- [138] **Gómez-Aiza, L. & Zuria, I. (2010)** Bird visitation to maguey flowers (*Agave salmiana*) in an urban area of central Mexico. *Ornitol. Neotrop.* 21: 17-30.
- [139] **Goodall-Copestake, W. P., Pérez-España, S., Harris, D. J. & Hollingsworth, P. M. (2010)** The early evolution of the mega-diverse genus *Begonia* (*Begoniaceae*) inferred from organelle DNA phylogenies. *Biol. J. Linn. Soc.* 101: 243-250.
- [140] **Goyder, D. J. & Al-Hemaid, F. M. A. (2010)** The identity of the Saudi Arabian species *Huernia haddaica* Hemaid. *Asklepios* No. 106: 27-28, ills., key. [Dated December 2009, received at ZSS February 2010.]
- [141] **Grace, O. M., Simmonds, M. S. J. & Smith, G. F. (2010)** Chemosystematic evaluation of *Aloe* section *Pictae* (*Asphodelaceae*). *Biochem. Syst. Ecol.* 38(1): 57-62.
- [142] **Green, D. & Green, T. (2010)** Will the real *[Hoya] angustifolia* please stand up? *Fra-terna* 23(2): 9-17, ills.
- [143] **Green, T. (2010)** *Hoya spartioides* (Benth.) Kloppenb. *Asklepios* No. 107: 27-28, ills.
- [144] **Grenier, F. (2010)** Les variations de *Tylecodon reticulatus* dans l'habitat (Afrique du Sud). *Terra Seca* 2010(2): 30-33, ills.
- [145] **Greulich, M. (2010)** *Agave albescens* Trelease – eine interessante und seltene Art aus dem östlichen Kuba. *Berliner Kakt.-Blätt.* 10: 45-47, ills. [Included for the illustrations.]
- [146] **Groeninckx, I., Briggs, M., Davis, A., Block, P. de, Robbrecht, E., Smets, E. & Dessein, S. (2010)** A new herbaceous genus endemic to Madagascar: *Phialiphora* (*Sperma-coceae, Rubiaceae*). *Taxon* 59(6): 1815-1829, ills., key, maps.
- [147] **Guiggi, A. (2010)** The revised taxonomy of *Pilosocereus lanuginosus* (Linnaeus) Byles et Rowley (*Cactoideae – Cereeae*) from north-western South America. *Cactology* No. 2: 10-16, ills., key.
- [148] **Guiggi, A. (2010)** A revision of the genus *Melocactus* Link et Otto (*Cactoideae – Cereeae*) in Cuba with an appendix of the accepted status of remaining Caribbean taxa. *Cactology* No. 2: 23-28, ills., key.
- [149] **Guiggi, A. (2010)** An alternative taxonomic approach for the *Melocactus curvispinus* group (*Cactoideae – Cereeae*) in Colombia and Venezuela. *Cactology* No. 2: 4-9, keys.
- [150] **Guiggi, A. & Palacios, P. (2010)** Eine neue Unterart von *Maihueiniopsis nigrispina* (*Cactaceae*) und Anmerkungen zu ihrer taxonomischen Stellung. *Kakt. and. Sukk.* 61(12): 327-332, ills., map.
- [151] **Guillot Ortiz, D. & Meer, P. van der (2010)** El género *Furcraea* Ventenat (*Agavaceae*) en la provincia de Valencia: Aspectos históricos, especies y cultivares. *Bouteloua* 7: 3-14, ills.
- [152] **Guillot Ortiz, D. & Puche, C. (2010)** Nuevas citas de *Crassula ovata* Lam. y sus cultivares en la Península Ibérica. *Bouteloua* 7: 29-36, ills. [Includes a key to naturalised cultivars in Spain.]
- [153] **Gunjan, K. & Roy, B. K. (2010)** Karyotype study in the dominant species of *Aloe* from eastern India. *Caryologia* 63(1): 41-49.
- [154] **Gutte, G. (2010)** Kakteen auf Kuba – eine Übersicht. *Berliner Kakt.-Blätt.* 10: 12-30, ills., maps.
- [155] **Haberkorn, M. (2010)** *Echinocereus*-Hybride oder schon eigenständige Art? *Echinocereenfreund* 23(1): 10-19, ills.
- [156] **Hadasz, P. (2010)** Eine Sensation – ein *Cephalocereus senilis* blüht in Kultur. *Kakt. and. Sukk.* 61(12): 309-313, ills. [Included for the illustrations. Concurrently also published in *Swiat Kakt.* 44(1): 36-39, ills., 2010.]
- [157] **Hammer, S. A. (2010)** Hybrid round-up. *Mesemb Study Group Bull.* 25(3): 56. [Short list of several new intergeneric hybrids in *Aizoa-ceae*.]
- [158] **Hammer, S. A. & Barnhill, C. (2010)** *Lithops*. *Treasures of the Veld* (Observations on the genus *Lithops* N. E. Br.). Leicester (GB): British Cactus and Succulent Society. Ed. 2; 156 pp., ills., maps, key.

- [159] **Hargreaves, A., Harder, L. D. & Johnson, S. D. (2010)** Native pollen thieves reduce the reproductive success of a hermaphroditic plant, *Aloe maculata*. *Ecology* 91(6): 1693-1703.
- [160] **Hargreaves, B. J. (2010)** *Aloe chabaudii* in Malawi and Botswana. *Alsterworthia Int.* 10 (2): 26-27, ills.
- [161] **Hartl, M. (2010)** *Euphorbia handiensis* in schlechtem Zustand. *Kakt. and. Sukk.* 61(8): 200-204, ills.
- [162] **Hartl, M. (2010)** Sehr kulturwürdig: *Saipaipaticereus corraonus*. *Kakt. and. Sukk.* 81 (10): 274-275, ills. [Included for the illustrations of flower and fruits.]
- [163] **Hartmann, H. E. K. (2010)** Variation in flowers in *Cephalophyllum curtophyllum* (*Aizoaceae*). *Bradleya* 28: 39-52, ills., maps.
- [164] **Hartmann, H. E. K. (2010)** Seasonal adaptations in sympatric species: The sample of *Argyoderma* and *Oophytum* in the Knersvlakte. *Mesemb Study Group Bull.* 25(4): 76-82, ills.
- [165] **Hauer, H., Germer, S., Elsasser, J. & Ritter, T. (2010)** Benzopyranones and their sulfate esters from *Pelargonium sidoides*. *Pl. Med. (Stuttgart)* 76(4): 350-354.
- [166] **Havas, L. (2010)** [Hungarian:] Dividing lines from Tula to Rayones. *Kaktusz Vilag* 34 (5): 196-205, ills., map. [On the variability in the *Thelocactus tulensis* group.]
- [167] **Hayashi, M. (2010)** Radiation in the sub-g. *Haworthia*. *Haworthia Study* 22: 6-11, ills.
- [168] **Hayashi, M. (2010)** DNA vs. morphology. *Haworthia Study* 23: 6-13, ills. [On *Haworthia* classification.]
- [169] **Hecktheuer, A. (2008)** Mesembs – mehr als nur *Lithops*. *Norderstedt (GE): Books on Demand.* 148 pp., ills. [Omitted previously. Included for the distribution maps (per genus, all presented at the same scale).]
- [170] **Hedberg, I., Friis, I. & Persson, E. (eds.) (2009)** Flora of Ethiopia and Eritrea. Volume 1. *Lycopodiaceae* to *Pinaceae*. Appendix – additions and amendments to vols. 2-7. *Addis Ababa (ET) / Uppsala (SE): National Herbarium / Swedish Science Press.* xiii + 305 pp., ills., keys, map. [Includes data for *Molluginaceae* (pp. 203-204), *Moraceae* (*Dorstenia*, p. 223), *Asclepiadaceae* (pp. 233-234), *Asteraceae* (*Kleinia*, p. 235), *Lamiaceae* (*Tetradenia*, *Plectranthus*, pp. 238-243), and *Aloaceae* (pp. 246-247).]
- [171] **Heiduk, A., Brake, I., Tolasch, T., Frank, J., Jürgens, A., Meve, U. & Dötterl, S. (2010)** Scent chemistry and pollinator attraction in the deceptive trap flowers of *Ceropegia dolichophylla*. *S. African J. Bot.* 76: 762-769.
- [172] **Heijnsdijk, T. (2010)** *Euphorbia platyclada*. *Succulenta (Netherlands)* 89(5): 218-220, ills.
- [173] **Hernández, H. M., Gómez-Hinostrosa, C. & Hoffmann, G. (2010)** Is geographical rarity frequent among the cacti of the Chihuahuan Desert? *Revista Mex. Biodivers.* 81(1): 163-175.
- [174] **Hochstätter, F. (2010)** *Toumeyia papyracantha* (Engelmann) Britton & Rose. *Kaktusblüte* 27: 3-5, ills., map.
- [175] **Hochstätter, F. (2010)** Il genere / The genus *Nolina* (*Nolinaceae*). *Piante Grasse* 30(1: Suppl.): 1-48, ills., map, key.
- [176] **Hoeve, W. T. (2010)** Notes on the 2010 seed distribution – an addendum. *J. Mammillaria Soc.* 50(2): 52. [Includes data on *Mammillaria chica*.]
- [177] **Hofacker, A. (2010)** A surprise from Brazil – *Bragia estevesii* Hofacker & P. J. Braun. *CactusWorld* 28(1): 45-48, ills.
- [178] **Hofacker, A. (2010)** *Parodia gaucha* – ein bemerkenswerter Neufund aus Südbraasilien. *Kakt. and. Sukk.* 61(4): 93-96, ills.
- [179] **Hofmann, B. (2010)** *Mammillaria solisoides* Backeberg. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(3): 134-137, ills. [Included for the habitat illustrations.]
- [180] **Holmgren, N. H. & Holmgren, P. K. (2010)** New combinations and lectotypifications of North American taxa in *Caryophyllaceae*, *Chenopodiaceae*, *Fumariaceae*, *Montiaceae*, *Papaveraceae*, and *Ranunculaceae*. *Brittonia* 62(3): 264-266. [Includes data on *Claytonia* and *Talinum*.]
- [181] **Horn, J. W., Ee, B. W. van, Riina, R., Morawetz, J. J., Berry, P. E., Steinmann, V. W. & Wurdack, K. (2010)** Are growth forms and photosynthetic pathways correlates of diver-

- sification in *Euphorbia* (*Euphorbiaceae*)? Rhode Island (US): Botany 2010. Abstract 626.
- [182] **Hughes, R. (2010)** Further comments on *Cumulopuntia rossiana*. *Tephrocactus Study Group* 16(4): 55-59, ill. [A replacement for p. 57 has subsequently been provided as a loose leaf to account for a printing error in the original issue.]
- [183] **Hunt, D. R. & Stanley, B. (2009)** 54 images of Lau plants [of *Mammillaria*]. *Huitzilopochtli* 5: 40-44, ill.
- [184] **Ihlenfeldt, H.-D. (2010)** *Pedaliaceae* – evolution and phylogeny of the succulent genera. *Pedaliaceae* – Evolution und Phylogenie der sukkulenten Gattungen. *Schumannia* 6: 151-182, ill. [= *Biodiversity & Ecology* 3.]
- [185] **Jaarsveld, E. J. van (2010)** Angola botanical expedition: Succulent treasures, January 2009. *Asklepios* 47(1): 4-35, ill., map.
- [186] **Jaarsveld, E. J. van (2010)** Hunting *Sansevieria* in southern Angola. *Sansevieria* 23: 3-12, ill.
- [187] **Jaarsveld, E. J. van & Deacon, J. (2010)** Cape Agulhas, Africa's southernmost succulents, and *Aloe juddii* newly named from the region. *Cact. Succ. J. (Los Angeles)* 82(2): 70-79, ill.
- [188] **Jacques, F. M. B. & Zhou, Z. (2010)** Geometric morphometrics: A powerful tool for the study of shape evolution in *Menispermaceae* endocarps. *Taxon* 59(3): 881-895, ill.
- [189] **Jaekel, A. & Jaekel, F. (2010)** *Notocactus concinnus* vs. *Notocactus gibberulus*. *Internoto* 31(2): 58-64, ill.
- [190] **Jaekel, A. & Jaekel, F. (2010)** *Notocactus multicostatus* var. *blaauianus* (Vliet) N. Gerloff & J. Neduchal. *Internoto* 31(4): 124-128, ill.
- [191] **Jainta, H. & Jainta, A. (2010)** *Euphorbia clavarioides* – Hochgebirgs-Euphorbien im südlichen Afrika. *Avonia* 28(1): 11-14, ill. [Included for the illustrations.]
- [192] **Jainta, H. & Jainta, A. (2010)** *Euphorbia squarrosa* – Kaudex-Sukkulente am Ostkap Südafrikas. *Avonia* 28(2): 35-38, ill. [Included for the illustrations.]
- [193] **Janeba, Z. (2010)** Komplex *Agave utahensis* Engelman. *Kaktusy (Brno)* 46(Special 2): 2-36, ill., key.
- [194] **Jeanmonod, D. (2010)** Typification des taxons corses de l'herbier de Litardière. *Candollea* 65(1): 23-44. [Includes *Sedum dasyphyllum* var. *glaucum* (p. 39).]
- [195] **Jiménez-Sierra, C. L. & Eguiarte, L. E. (2010)** Candy Barrel Cactus (*Echinocactus platyacanthus* Link & Otto): A traditional plant resource in Mexico subject to uncontrolled extraction and browsing. *Econ. Bot.* 64: 99-108.
- [196] **Jiménez-Sierra, C. L., Matias-Palafox, M. L. & Jiménez-Sánchez, M. G. (2009)** Aspectos demográficos y reproductivos de *Pachycereus weberi* (J. M. Coult.) Backeb. (*Cactaceae*) en una nueva localidad en el Estado de Hidalgo, México. *Cact. Suc. Mex.* 54(2): 36-47, ill., map. [Omitted previously.]
- [197] **Jiménez-Valdés, M., Godínez-Alvarez, H., Caballero, J. & Lira, R. (2010)** Population dynamics of *Agave marmorata* Roez. under two contrasting management systems in Central Mexico. *Econ. Bot.* 64: 149-160.
- [198] **Jimeno-Sevilla, H. D. & Albalat-Botana, A. (2010)** *Echeveria atropurpurea* (Baker) E. Morren (*Crassulaceae*), encontrada silvestre despues de 140 años de su descripción. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7(3): 29-33, ill.
- [199] **Jimeno-Sevilla, H. D., Cházaro-Basáñez, M. & Albalat-Botana, A. (2010)** Reporte de una población silvestre de *Sedum morganianum* E. Walter (*Crassulaceae*). *Acta Bot. Mex.* 91: 13-20, ill.
- [200] **Jones, C. E., Shropshire, F. M., Allen, R. L. & Atallah, Y. C. (2010)** Pollination and reproduction in natural and mitigation populations of the many stemmed dudleya, *Dudleya multicaulis* (*Crassulaceae*). *Madroño* 57(1): 42-53.
- [201] **Jonkers, B. (2010)** An erroneous location record and a re-evaluation of the southernmost cactus in habitat. *CactusWorld* 28(2): 111-112, ill. [On *Maihuenia poeppigii*.]
- [202] **Jonkers, B. (2010)** More lizard pollination in succulents. *CactusWorld* 28(4): 248-249, ill.
- [203] **Jonkers, H. A. (2010)** *Desmidorchis im-*

postor spec. nov. (*Apocynaceae*; *Asclepiadoideae*; *Ceropegieae*), a not-so-new, new Stape-
liad from northern Oman. *Bradleya* 28: 67-78,
ills., map, key. [Includes a key to *Desmidorchis*
spp. of N Oman.]

[204] **Junqueira, K. P., Faleiro, F. G., Jun-
queira, N. T. V., Bellon, G., Lima, C. A. de &
Souza, L. S. de (2010)** Diversidade genética de
Pitayas nativas do cerrado com base em
marcadores RAPD. *Revista Brasil. Frutic.* 32
(3): 819-824. [On *Hylocereus* and *Selenicereus*
genetic diversity.]

[205] **Kádár, C. (2010)** [Hungarian:] Searching
for cacti in Brazil, part 5. *Kaktusz Vilag* 34(2):
54-65, ills. [Included for the illustrations of
taxa from Rio Grande do Sul.]

[206] **Kapitany, A. (2010)** Australian native
succulents. Le succulente native australiane.
Cactus & Co. 14(1): 48-61, ills. [Included for
the illustrations.]

[207] **Kapitany, A. (2010)** Bizarre epiphytic
ant-plants in Australia. *Cactus & Co.* 14(3): 51-
73, ills. [Almost identical in contents and illus-
trations to a paper published in 2008 in *Cact.
Succ. J. (US)*.]

[208] **Karaer, F. & Celep, F. (2010)** Taxonomic
notes on *Sempervivum armenum* Boiss. & A.
Huet (*Crassulaceae*) from Turkey with an
amended description. *Bangladesh J. Bot.* 39(1):
103-105, map.

[209] **Karaer, F., Celep, F. & Kutbay, G.
(2010)** Morphological, ecological and palynolog-
ical studies on *Sempervivum sosnowskyi*
Ter-Chatsch. (*Crassulaceae*) with a new distri-
bution record from Turkey. *Austral. J. Crop Sci.*
4(4): 247-251, ills., map.

[210] **Kattermann, F. (2010)** Observations of
Chilean *Opuntioideae*. [Part I]. *Cact. Succ. J.*
(Los Angeles) 82(4): 168-171, ills., map.

[211] **Kattermann, F. (2010)** Observations of
Chilean *Opuntioideae*. [Part II]. *Cact. Succ. J.*
(Los Angeles) 82(5): 212-213, ills.

[212] **Kelaidis, P. & Bone, M. (2010)** A few
Crassulaceae in the Altai and Tian Shan
Mountains part 1 / part 2. *Newslett. Sedum Soc.*
No. 92: 29-36, No. 93: 52-58, ills., map.

[213] **Kiesling, R. (2010)** Rehabilitation of the
genus *Monvillea*. *Haseltonia* 16: 3-8, ills.

[214] **Kiesling, R. (2010)** Una nueva especie de
Monvillea de la Argentina y la validez del géne-
ro *Monvillea* (*Cactaceae*). *Bonplandia* (Corri-
entes) 19(1): 59-64, ills., key.

[215] **Kim, J.-H., Kim, D.-K., Forest, F., Fay,
M. F. & Chase, M. W. (2010)** Molecular phy-
logenetics of *Ruscaceae sensu lato* and related
families (Asparagales) based on plastid and
nuclear DNA sequences. *Ann. Bot. (Oxford)*,
n.s. 106: 775-790.

[216] **Kinnach, M. (2010)** Notes on *Crassula-*
ceae: 2. *Cact. Succ. J. (Los Angeles)* 82(3):
122-125, ills. [On *Sedum craigii* and *Echeveria*
cuiccatecana.]

[217] **Klaassen, P. (2010)** The *Dudleya* of Isla
de Cedros, Baja California. *Newslett. Sedum*
Soc. No. 95: 18-22, ills., map. [On *Dudleya pa-*
chyphytum.]

[218] **Klak, C. (2010)** Phylogeny and diversifi-
cation of *Aizoaceae*: Progress and prospects.
Phylogenie und Diversifikation der Aizoaceae:
Fortschritte und Aussichten. *Schumannia* 6: 87-
107, ills. [= *Biodiversity & Ecology* 3.]

[219] **Klein, D. (2010)** ×*Mangave* 'Bloodspot'
und ×*Mangave* 'Macho Mocha'. *Kakt. and*
Sukk. 61(8): 211-215, ills.

[220] **Kleszewski, K.-P. (2010)** Bischofsmützen
– Sternpflanzen. Die Gattung *Astrophytum*.
Pforzheim (GE): Deutsche Kakteen-Gesell-
schaft. 104 pp., ills., map. [= Sonderausgabe
der Deutschen Kakteen-Gesellschaft.]

[221] **Klopper, R. R. & Smith, G. F. (2010)**
Notes on African plants. *Asphodelaceae: Alooi-*
deae. Reinstatement of *Aloe spectabilis*. *Botha-*
lia 40(1): 91-93, ills., maps.

[222] **Klopper, R. R. & Smith, G. F. (2010)**
The genus *Aloe* L. (*Asphodelaceae: Alooi-*
deae) in the Eastern Cape Province of South Africa.
Haseltonia 16: 16-53, ills.

[223] **Klopper, R. R., Smith, G. F., Figueire-
do, E. & Crouch, N. R. (2010)** Notes on *Agave*
palmeri Engelm. (*Agavaceae*) and its allies in
the *Ditepalae*. *Bradleya* 28: 53-66, ills., maps,
key.

[224] **Klopper, R. R., Wyk, B. van & Smith,
G. F. (2010)** Phylogenetic relationships in the
family *Asphodelaceae* (Asparagales). *Phylo-*
genetische Verwandtschaften in der Familie As-

phodelaceae (Asparagales). *Schumannia* 6: 9-36, ill. [= Biodiversity & Ecology 3.]

[225] **Klopper, R. R., Zietsman, P. C., Preez, P. J. du & Smith, G. F. (2010)** A first record of a South African *Aloe*, *Aloe spectabilis*, becoming naturalized elsewhere in the country. *Bradleya* 28: 37-38, ill., map.

[226] **Knebel, K.-H. (2010)** 40 Jahre *Ariocarpus*-Hybriden. *Kakt. and. Sukk.* 61(8): 216-221, ill.

[227] **Konings, G. (2010)** Big-Needle Pincushion Cactus, *Coryphantha macromeris* var. *macromeris*. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(2): 85-89, ill.

[228] **Korotkova, N., Zabel, L., Quandt, D. & Barthlott, W. (2010)** A phylogenetic analysis of *Pfeiffera* and the reinstatement of *Lymanbensonia* as an independently evolved lineage of epiphytic *Cactaceae* within a new tribe *Lymanbensoniae*. *Willdenowia* 40: 151-172, ill., keys.

[229] **Kudrjavceva, O. V. & Viraèeva, L. L. (2010)** Die Pflanzen der Gattung *Rhodiola* L. (*Crassulaceae*) oberhalb des Polarkreises auf der Halbinsel Kola. *Avonia* 28(2): 62-72, ill.

[230] **Kumke, J. (2010)** Die Situation der *Caralluma burchardii* und *Euphorbia handiensis* auf Fuerteventura. *Caralluma* 12(2): 56-60, ill.

[231] **Kunte, L. (2010)** [Czech:] *Trichocereus poco* Backeberg var. *fricianus* Cárdenas – a Bolivian beauty. *Kaktusy (Brno)* 46(2): 39-41, ill.

[232] **Lang, A. (2010)** *Ceropegia multiflora* Baker. *Caralluma* 12(2): 35-37, ill. [Included for the flower illustrations.]

[233] **Larcher, W., Kainmüller, C. & Wagner, J. (2010)** Survival types of high mountain plants under extreme temperatures. *Flora (Jena)* 205 (1): 3-18. [Includes data on 3 spp. of *Sempervivum*.]

[234] **Las Peñas, M. L., Kiesling, R. & Bernardello, G. (2010)** Karyotype, heterochromatin, and physical mapping of 5s and 18-5.8-26S rDNA genes in *Setiechinopsis (Cactaceae)*, an Argentine endemic genus. *Haseltonia* 16: 83-90, ill.

[235] **Lattar, E. & Cuadrado, G. (2010)** Estudios palinológicos de especies Argentinas de los géneros *Cereus*, *Cleistocactus*, *Denmoza*, *Echinopsis* y *Mowillea (Cactaceae, Cactoi-*

deae). *Bol. Soc. Argent. Bot.* 45(1-2): 93-107, ill.

[236] **Lebgue Keleng, T. & Quintana Martínez, G. (2010)** Cactáceas de Chihuahua. Tesoro estatal en peligro de extinción. Chihuahua (MX): Published by the authors. 243 pp., ill., maps.

[237] **Lebrun, J.-P. & Stork, A. L. (2010)** Tropical African flowering plants. Ecology and distribution. Vol. 5: *Buxaceae - Simaroubaceae*. Genève (CH): Ville de Genève, Éditions des Conservatoire et Jardin Botaniques. 415 pp., maps. [Includes *Icacinaeae*, *Moraceae* and *Vitaceae*.]

[238] **Lechner, P. (2010)** *Sulcorebutia heliosoides* und Nachbarn. *Echinopseen* 7(1): 29-34, ill.

[239] **Linzen, T. (2010)** Guatemala, die Heimat von *M. voburnensis* – und was sonst? *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(3): 118-125, (4): 172-187, ill.

[240] **Linzen, T. (2010)** Es kann nicht sein? *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(4): 212-215, ill. [On *Mammillaria coahuilensis*.]

[241] **Linzen, T. & Appenzeller, O. (2010)** Ergänzungslieferung zum Werk Die Mammillarien (LBS-Lieferung 2009). Flöha (D): Arbeitskreis für Mammillarienfreunde. 47 loose sheets, ill.

[242] **Loaiza S., C. R. (2010)** Consideraciones taxonómicas sobre dos cactáceas nativas de la región sur de Ecuador. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7(3): 12-15, map.

[243] **Lodé, J. (2010)** Succulent plants of Socotra. Barcelona (ES): Todograf / published by the author. 58 pp., ill. [Included for the illustrations.]

[244] **Lodé, J. (2010)** Plantas suculentas de las Islas Canarias. Guía de identificación fácil. Succulent plants of the Canary Islands. Identification easy guide. Plantes succulentes des Iles Canaries. Guide d'identification facile. Sukkulente auf den Kanarischen Inseln. Führer für die leichte Bestimmung der Arten. Santa Cruz de Tenerife (ES): Turquesa. 368 pp., ill., maps.

[245] **Lodé, J. (2010)** Jabal Buzairi, *Aloe* paradise in Socotra. *Alsterworthia* Int. 10(3): 27-32, ill.

- [246] **Lodé, J. (2010)** Asclepiads of the island of Socotra. *Asklepios* 108: 9-18, ills.
- [247] **Lodé, J. (2010)** Socotran *Kalanchoe*. *Newslett. Sedum Soc. No. 94*: 80-86, ills.
- [248] **López Flores, D. & Navarro Carbajal, M. del C. (2009)** Estudio demográfico de *Stenocactus crispatus* (Cactaceae) en Los Ángeles Tetela, Puebla, México. *Cact. Suc. Mex.* 54(4): 100-112, ills. [Omitted previously.]
- [249] **Lüthy, J. (2010)** Some cacti of "adjacent Mexico". A survey of the boundary. *Cact. Succ. J. (Los Angeles)* 82(3): 108-115, ills.
- [250] **Maayan, J. & Baran, J. (2010)** *Caralluma sinaica* in the Dead Sea area. *Asklepios* 108: 23-25, ills.
- [251] **MacDonald Zöllner, D. (2010)** Crónica de los cactus del norte del Perú. *Quepo* 24: 76-87, ills., map.
- [252] **Madrid, E. N. & Friedman, W. E. (2010)** Female gametophyte and early seed development in *Peperomia* (Piperaceae). *Amer. J. Bot.* 97(1): 1-14, ills.
- [253] **Magnani, B. (2010)** *Echinomastus* Britton & Rose. A survey of the species / una rassegna delle specie. *Cactus & Co.* 14(2): 15-41, ills. [An illustrated synopsis.]
- [254] **Majure, L. C. (2010)** Towards an evolutionary understanding of the *Opuntia humifusa* complex of North America. *Cact. Succ. J. (Los Angeles)* 82(4): 156-163, ills.
- [255] **Manzano, E. de la R. & Briones, O. (2010)** Germination response of the epiphytic cactus *Rhipsalis baccifera* (J. S. Miller) Stearn to different light conditions and water availability. *Int. J. Pl. Sci.* 171(3): 267-274.
- [256] **Marques, A., Roa, F. & Guerra, M. (2010)** Karyotype differentiation in three species of *Tripogandra* Raf. (Commelinaceae) with different ploidy levels. *Genet. Molec. Biol.* 33(4): 731-738.
- [257] **Martínez Fernández, J. M. & González Botello, M. A. (2009)** Cactáceas y suculentas del noroeste de México. *Nuevo León (MX): Universidad Autónoma de Nuevo León.* 167 pp., ills.
- [258] **Martínez, A. F., Medina, G. I. M., Golubov, J., Montana, C. & Mandujano, M. C. (2010)** Demography of an endangered endemic rupicolous cactus. *Pl. Ecol.* 210: 53-66. [On *Mammillaria huitzilopochtli*.]
- [259] **Martínez-Millán, M. (2010)** Fossil record and age of the Asteridae. *Bot. Rev. (Lancaster)* 76: 83-135.
- [260] **Martins, D. J. (2010)** Pollination and seed dispersal in the endangered succulent *Euphorbia brevitorta*. *J. East Afr. Nat. Hist.* 99(1): 9-17.
- [261] **Marx, G. (2010)** Brandrivier phenomena. *Aloe* 47(2): 47-51, ills. [On *Haworthia opalina* etc.]
- [262] **Matuszewski, G. F. (2010)** [Czech:] The genus *Neolloydia* Britt. & Rose. *Cactaceae etc.* 20(1): 27-31, ills.
- [263] **Matuszewski, G. F. (2010)** Am Standort der *Mammillaria roemerii* Krüger & Rischer. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(3): 146-150, ills.
- [264] **Matuszewski, G. F. (2010)** Sollte man mit einem bekannten Kenner der Gattung streiten? *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(4): 208-211, ills., map. [On *Mammillaria coahuilensis*.]
- [265] **Maule, J. (2010)** [Czech:] *Drimia* (*Schizobasis*) *intricata* (Baker) J. C. Manning & Goldblatt and changes in the former genus. *Adenium* 23: 18-20, ills.
- [266] **Mays, H. (2010)** Species / cultivars of the A to G genera of the *Asphodelaceae* published subsequent to the publication of the Illustrated handbook of succulent plants – Monocotyledons. *Alsterworthia Int.* 10(2): 12-16.
- [267] **Mays, H. (2010)** *Haworthia* species/cultivars published subsequent to the publication of the Illustrated handbook of succulent plants – Monocotyledons. *Alsterworthia Int.* 10(3): 15-20.
- [268] **McCabe, S. W. (2010)** *Hakea clavata*, a succulent member of the Protea family (Proteaceae). *Cact. Succ. J. (Los Angeles)* 82(4): 149-151, ills.
- [269] **McCoy, T. A. & Lavranos, J. J. (2010)** Nomenclatural notes on certain Arabian aloes. *CactusWorld* 28(1): 29-30, ills.
- [270] **Meier, E. (2010)** Hybriden der Gattung

Hylocereus – Teil 2. Infragenerische Hybriden. EPIG 65: 10-15, ills. [Continued from l.c. 64: 20-28, 2009.]

[271] **Meier, E. (2010)** Über *Disocactus ackermannii*. Kaktusblüte 27: 54-63, ills.

[272] **Menzel, J. & Říha, J. (2010)** [Czech:] Briefly – what is *Pediocactus peeblesianus* (Croizat) L. D. Benson f. *menzeli* (Hochstätter) M. Hájek? Kaktusy (Brno) 46(3): 80-82, ills.

[273] **Meregalli, M. (2010)** The *Gymnocalycium* of Uruguay. 1. *Gymnocalycium hyptiacanthum* (Lemaire) Britton & Rose: History of the name, historical interpretations, the neotype and nomenclatural considerations. Schütziana 1(1): 4-20, ills.

[274] **Meregalli, M., Ercole, E. & Rodda, M. (2010)** Molecular phylogeny vs. morphology: Shedding light on the infrageneric classification of *Gymnocalycium* (Cactaceae). Molekulare Phylogenie versus Morphologie: Die infragenerische Klassifikation der Gattung *Gymnocalycium* (Cactaceae) in neuem Licht. Schumannia 6: 257-275, ills. [= Biodiversity & Ecology 3.]

[275] **Metzing, D. & Jürgens, N. (2010)** Evolution and diversity of succulent plant families. Evolution und Diversität sukkulenter Pflanzenfamilien. Schumannia 6: 5-8, ill. [= Biodiversity & Ecology 3.]

[276] **Meve, U. (2010)** Correction: *Orbea nardii* precedes *Orbea wissmannii* var. *parviflora*. Asklepios No. 106: 12. [Dated December 2009, received at ZSS February 2010.]

[277] **Meve, U. (2010)** *Apocynaceae* (Asclepiadoideae - Ceropogieae). In: Marhold, K. (ed.): IAPT / IOPB chromosome data 10. Taxon 59 (6): 1934-1935.

[278] **Meve, U. & Liede-Schumann, S. (2010)** The manifold evolution of succulence in *Apocynaceae*. Die mehrfache Evolution von Sukkulenz innerhalb der *Apocynaceae*. Schumannia 6: 183-206. [= Biodiversity & Ecology 3.]

[279] **Middleton, D. J. (2010)** *Aeschynanthus buxifolius*. Bot. Mag., 27(2): 147-155, ills., t. 676.

[280] **Minutillo, F., Tondi, G. & Conti, F. (2009)** *Sedum nevadense* (Crassulaceae), new for the Italian flora. Fl. Medit. 19: 115-117, ill.

[281] **Miquelajauregui, Y. & Valverde, T. (2010)** Survival and early growth of two congeneric cacti that differ in their level of rarity. J. Arid Environm. 74: 1624-1631. [On 2 spp. of *Neobuxbaumia*.]

[282] **Monje, P. V. & Baran, E. J. (2010)** Characterization of calcium oxalate biominerals in some (non-Cactaceae) succulent plant species. Z. Naturf., C 65: 429-432.

[283] **Montesinos Tubée, D. B. (2010)** Cactáceas, suculentas y otras especies de Moquegua, Perú. Quepo 24: 28-41, ills.

[284] **Morales-Serna, J. A., Jiménez, A., Estrada-Reyes, R., Márquez, C., Cardenas, J. & Salmon, M. (2010)** Homoisoflavanones from *Agave tequilana* Weber. Molecules 15: 3295-3301.

[285] **Morawetz, J. J. (2010)** In Oman. *Euphorbia* World 6(1): 14-17, ills. [Includes data on pollinators of *Euphorbia cactus* and *E. schimperii*.]

[286] **Wagner, B., Morawetz, J. J., Riina, R., Berry, P. E., Becker, R. & Moller, A. (2010)** *Euphorbia* seed atlas – part 3. *Euphorbia* World 6(2): 28-29, ills.

[287] **Morawetz, J. J., Wagner, B., Riina, R. & Berry, P. E. (2010)** *Euphorbia* seed atlas – part 2. *Euphorbia* World 6(1): 25, ills.

[288] **Mordhorst, A. (2010)** Pflanzenvorstellung. Hybriden-J. 2010(1): 14-16, ills. (colour pp. 10-11). [Includes data on hybrids *Winterocereus* × *Bolivocereus* and (*Winterocereus* × *Chamaecereus*) × *Pygmaecereus*.]

[289] **Mordhorst, A. (2010)** Pflanzenvorstellung. Hybriden-J. 2010(2): 12-16, ills. (colour pp. 8-9). [Includes data on hybrids *Matucana* × *Bolivocereus* and *Matucana* × *Winterocereus*.]

[290] **Mordhorst, A. (2010)** Pflanzenvorstellung. Hybriden-J. 2010(3): 10-13, ills. (colour p. 6). [Includes data on hybrids *Winterocereus* × *Echinopsis* and *Echinopsis* × *Matucana*.]

[291] **Morree, J. J. de (2010)** *Adromischnus marianiae*. Enorme variatie in bladkenmerken binnen een soort [1] / (2). Succulenta (Netherlands) 89(5): 237-242, (6): 258-261, ills.

[292] **Mort, M. E., O'Leary, T. R., Carrillo-Reyes, P., Nowell, T., Archibald, J. K. & Randle, C. P. (2010)** Phylogeny and evolution

of *Crassulaceae*: Past, present, and future. Phylogenie und Evolution der *Crassulaceae*: Vergangenheit, Gegenwart und Zukunft. *Schumannia* 6: 69-86, ills. [= Biodiversity & Ecology 3.]

[293] **Mota Lambert, S. (2010)** *Tacinga*. Le Figuier de Barbarie pollinisé par les colibris. *Terra Seca* 2010(2): 20-27, ills. [Included for the illustrations of flowering plants.]

[294] **Mottram, R. (2010)** Variability in *Mammillaria*. *J. Mammillaria Soc.* 50(1): 5-9, ills., map.

[295] **Mottram, R. (2010)** *Cumulopuntia pentlandii* and *Cumulopuntia boliviana*. *Tephrocactus Study Group* 16(3): 32.

[296] **Munguía-Rosas, M. A. & Sosa, V. J. (2010)** Phenology of *Pilosocereus leucocephalus* (*Cactaceae*, tribe *Cereeae*): A columnar cactus with asynchronous pulsed flowering. *Pl. Ecol.* 211: 191-201.

[297] **Munguía-Rosas, M. A., Sosa, V. J. & Jacome-Flores, M. E. (2010)** Pollination system of the *Pilosocereus leucocephalus* columnar cactus (tribe *Cereeae*) in eastern Mexico. *Pl. Biol. (Stuttgart)* 12: 578-586.

[298] **Muruaga, N. B. (2010)** Rebutias endémicas de la Argentina. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7(3): 15-21, ills., map.

[299] **Muruaga, N. B., Figueroa, M. R. & Kiesling, R. (2008)** Circunscripción de *Rebutia minuscula* (*Cactaceae*, *Cactoideae*). *Darwiniana* 46(2): 318-327, ills. [Omitted previously.]

[300] **Nelson, E. C. (2010)** Lizards on *Aeonium lancerottense* in Lanzarote, Canary Islands: A new example of pollination by reptiles? *Bradleya* 28: 15-18, ills.

[301] **Neuhuber, G. J. A. (2010)** Die schönsten Fundorte. *Gymnocalycium taningaense* Piltz. Teil 1. *Gymnocalycium* 23(4): A-B, ills.

[302] **Newton, L. E. (2010)** Notes on *Sansevieria ballyi*, with description of a new cultivar. *Sansevieria* No. 22: 10-12, ills., map.

[303] **Noltee, F. (2010)** Vetplanten van de Kaaroo. *Pelargonium hystrix*. *Succulenta (Netherlands)* 89(3): 112-114, ills.

[304] **Novoa, S., Ostolaza, C., Ceroni, A. & Castro, V. (2010)** Estatus poblacional de *Hae-*

geocereus tenuis (*Cactaceae*). *Quepo* 24: 42-47, ills.

[305] **Nyffeler, R. & Eggli, U. (2010)** An up-to-date familial and suprafamilial classification of succulent plants. *Bradleya* 28: 125-144.

[306] **Nyffeler, R. & Eggli, U. (2010)** A farewell to dated ideas and concepts – molecular phylogenetics and a revised suprageneric classification of the family *Cactaceae*. Ein Abgesang auf veraltete Ideen und Konzepte – Phylogenetik und eine revidierte supragenerische Klassifikation der Familie *Cactaceae*. *Schumannia* 6: 109-149, ills. [= Biodiversity & Ecology 3.]

[307] **Nyffeler, R. & Eggli, U. (2010)** Disintegrating *Portulacaceae*: A new familial classification of the suborder *Portulacineae* (*Caryophyllales*) based on molecular and morphological data. *Taxon* 59(1): 227-240, key.

[308] **Nyhuus, T. (ed.) (2010)** Artbeskrivningar. *Hoya platycaulis*. *Hoya heuschkeliana* subsp. *heuschkeliana*. *Hoya heuschkeliana* subsp. *cajanaoae*. *Eriostemma obtusifolioides*. *Hoyatelegraf* 17(1): 4-19, ills.

[309] **Nyhuus, T. (ed.) (2010)** Artbeskrivningar. *Hoya wallichii*. *Hoya cystiantha*. *Hoya danumensis*. *Hoya campanulata*. *Hoyatelegraf* 17(2): 4-18, ills.

[310] **Nyhuus, T. (ed.) (2010)** [Artbeskrivningar.] *Hoya fusca*. *Hoya manipurensis*. *Hoya krohniiana*. *Hoyatelegraf* 17(3): 5-19, ills.

[311] **Nyhuus, T. (ed.) (2010)** Artbeskrivningar. *Hoya surigaensis*. *Hoya whistleri*. *Hoya plicata* subsp. *rundumensis*. *Clemensiella mariae*. *Hoyatelegraf* 17(4): 4-21, ills.

[312] **Oberlander, K. C., Dreyer, L. L. & Roets, F. (2010)** New primers for single copy nuclear-encoded chloroplast expressed glutamine synthetase (NCPGS) in *Oxalidaceae*. *Amer. J. Bot.* 97(12): e146-e148.

[313] **Ocampo, G. & Columbus, J. T. (2010)** Molecular phylogenetics of suborder Cactineae (Caryophyllales), including insights into photosynthetic diversification and historical biogeography. *Amer. J. Bot.* 97: 1827-1847.

[314] **Ogburn, R. M. & Edwards, E. J. (2010)** The ecological water-use strategies of succulent plants. *Advances Bot. Res.* 55: 179-225.

- [315] **Ogunbodede, O., McCombs, D., Trout, K., Daley, P. & Terry, M. (2010)** New mescaleline concentrations from 14 taxa/cultivars of *Echinopsis* spp. (*Cactaceae*) ("San Pedro") and their relevance to shamanic practice. *J. Ethnopharmacol.* 131: 356-362.
- [316] **Ortega-Baes, P., Aparicio, M. & Galindez, G. (2010)** Vivipary in the cactus family: An evaluation of 25 species from north-western Argentina. *J. Arid Environm.* 74: 1359-1361.
- [317] **Ortega-Baes, P., Aparicio-González, M., Galindez, G., Fueyo, P. del, Suring, S. & Rojas-Aréchiga, M. (2010)** Are cactus growth forms related to germination responses to light? A test using *Echinopsis* species. *Acta Oecol.* 36: 339-342.
- [318] **Ortega-Baes, P., Sühling, S., Sajama, J., Sotola, E., Alonso-Pedano, M., Bravo, S. & Godínez-Alvarez, H. (2010)** Diversity and conservation in the cactus family. In: Ramawat, K. G. (ed.): *Desert Plants*; pp. 157-173. Berlin / Heidelberg (GE): Springer-Verlag.
- [319] **Ortiz, F., Stoner, K. E., Pérez-Negrón, E. & Casas, A. (2010)** Pollination biology of *Myrtillocactus schenckii* (*Cactaceae*) in wild and managed populations of the Tehuacan Valley, Mexico. *J. Arid Environm.* 74: 897-904.
- [320] **Ozerova, L. V. & Timonin, A. C. (2009)** On the evidence of subunifacial and unifacial leaves: Developmental studies in leaf-succulent *Senecio* L. species (*Asteraceae*). *Wulfenia* 16: 61-77, ills. [Omitted previously.]
- [321] **Palomino, G., Martínez, J. & Méndez, I. (2010)** Análisis del tamaño del genoma y cariotipo de *Agave aktites* Gentry (*Agavaceae*) de Sonora, México. *Revista Mex. Biodivers.* 81(3): 655-662.
- [322] **Panarotto, P. & Szathvary, M. (2010)** Cultivar di *Astrophytum*. *Astrophytum* cultivars. *Astrophytum* wonders. Vol. 1: *asterias*. / Vol. 2: *coahuilense*, *myriostigma* & *ornatum*. *Cactus & Co.* 14(1): 62-70, (2): 70-81, ills. [Included to show horticulturally achieved variability.]
- [323] **Papsch, W. (2010)** *Gymnocalycium papschii* H. Till pro parte. *Schütziana* 1(1): 21-30, ills., map.
- [324] **Pardo B., O. & Pizarro T., J. L. (2010)** *Neowerdermannia chilensis* Backeberg. The Chilean "Achacana" / La "Achacana" del Chile. *Cactus & Co.* 14(2): 42-53, ills. [Included for the illustrations.]
- [325] **Parker, K. C., Trapnell, D. W., Hamrick, J. L., Hodgson, W. C. & Parker, A. J. (2010)** Inferring ancient *Agave* cultivation practices from contemporary genetic patterns. *Molec. Ecol.* 19: 1622-1637.
- [326] **Parra, F., Casas, A., Peñaloza-Ramírez, J. M., Cortés-Palomec, A. C., Rocha-Ramírez, V. & González-Rodríguez, A. (2010)** Evolution under domestication: Ongoing artificial selection and divergence of wild and managed *Stenocereus pruinosus* (*Cactaceae*) populations in the Tehuacán Valley, Mexico. *Ann. Bot. (Oxford)*, n.s. 106: 483-496.
- [327] **Pascacio-Villafán, C. & Ortega Ortiz, R. (2009)** Influencia de la edad de la semilla y la oscuridad en la germinación de *Melocactus curvispinus* Pfeiff. subsp. *curvispinus*. *Cact. Suc. Mex.* 54(1): 17-27, ills. [Omitted previously.]
- [328] **Pearcy, L. (2010)** *Crassulaceae* in Texas. *Newslett. Sedum Soc.* No. 93: 59-61, ills. [On *Echeveria strictiflora* and *Villadia squamulosa*.]
- [329] **Pelser, P. B., Kennedy, A. H., Tepe, E. J., Shidler, J. B., Nordenstam, B., Kadereit J. W. & Watson, L. E. (2010)** Patterns and causes of incongruence between plastid and nuclear *Senecioneae* (*Asteraceae*) phylogenies. *Amer. J. Bot.* 97(5): 856-873.
- [330] **Piccione, G. M. (2010)** Looking at a *Lithops* plant. Part 1. *Mesemb Study Group Bull.* 25(3): 50-53, ills. [On *Lithops* growth and morphology.]
- [331] **Pilbeam, J. (2010)** Stapeliads. A gallery of 686 pictures of all 57 genera of this popular group of succulent plants. *Hornchurch (GB): British Cactus and Succulent Society.* 207 pp., ills.
- [332] **Pino, G. (2010)** Alte und neue Namen der sukkulenten Arznei-Peperomias aus Peru. Old and new names of the succulent medicinal *Peperomias* of Perú. *Avonia* 28(2): 39-52, ix-xx, ills. [The German version (pp. 39-52) is an abridged version of the original English text (pp. ix-xx).]
- [333] **Pinto, R. (2010)** *Eriosyce caligophila*. *Cactus & Co.* 14(3): 38-49, ills.

- [334] **Pirajá, M. (2010)** At a site of *Micranthocereus purpureus*. *Kakt. Inne* 6(4): 148-151, ills. [Included for the illustrations, esp. of the fruit.]
- [335] **Plachno, B. J., Swiatek, P. & Szymczak, G. (2010)** Can a stench be beautiful? Osmophores in stem succulent Stapeliads (*Apoynaceae* – *Asclepiadoideae* – *Ceropegieae* – *Stapeliinae*). *Flora (Jena)* 205(2): 101-105, ills.
- [336] **Plein, W. & Rogozinski, H. (2010)** *Mammillaria aureiceps* – the most beautiful taxon of the series *Rhodantheae*. *J. Mammillaria Soc.* 50 (3): 70-76, ills., maps.
- [337] **Plein, W. & Rogozinski, H. (2010)** Zur Verbreitung und Klassifizierung der Mammillarien der Reihe *Mammillaria* in Nordwestmexiko, Teil 6 und vorläufiger Schluss. Mitteilungsbl. Arbeitskreises Mammillarienfr. 34(1): 6-16, ills., map. [Concluded from l.c. vol. 33, 2009. On *Mammillaria craigii*.]
- [338] **Plowes, D. (2010)** When is a *Caralluma* not a *Caralluma*? *Asklepios* 107: 3-22, ills.
- [339] **Pont Font, A. (2010)** A new locality for *Caralluma munbyana* ssp. *hispanica* to the north of Alicante. *Asklepios* 106: 19-21, ills. [Dated December 2009, received at ZSS February 2010.]
- [340] **Prado, A., Hawkins, J. A., Yesson, C. & Bárcenas, R. T. (2010)** Multiple diversity measures to identify complementary conservation areas for the Baja California peninsular cacti. *Biol. Conservation* 143: 1510-1520, maps.
- [341] **Prantner, J. (2010)** *Morawetzia doelziana* × *Matucana aurantiaca*. *Kakt. and. Sukk.* 61 (4): 97-98, ills.
- [342] **Pritchard, A. (2010)** *Monadenium*. Venegono Superiore (IT): Cactus & Co. Libri. 109 pp., ills.
- [343] **Rahangdale, S. S., Ghate, S. V. & Rahangdale, A. A. (2010)** Rediscovery of *Tillaea schimperii* subsp. *schimperii* (*Crassulaceae*) from Maharashtra State. *Indian Forester* 136(6): 851-853.
- [344] **Raimondo, D., Staden, L. von, Foden, W., Victor, J. E., Helme, N. A., Turner, R. C., Kamundi, D. A. & Manyama, P. A. (eds.) (2009)** Red List of South African plants 2009. Pretoria (ZA): South African National Biodiversity Institute SANBI. ix + 668 pp., ills. [= *Strelitzia* 25.]
- [345] **Raimondo, F. M. & Spadaro, V. (2009)** Addenda et emendanda to the "A catalogue of the plants growing in Sicily". *Fl. Medit.* 19: 301-312. [Includes data on *Portulaca* spp.]
- [346] **Rebmann, N. (2010)** Euphorbes de Madagascar, de nouvelles decouvertes. *Cact. Succ.* 2(1): 27-31, ills.
- [347] **Repka, R. (2010)** [Czech:] *Eriosyce (Pyrhocractus) garaventa* (Ritter) Kattermann – A stenodemite from central Chile. *Kaktusy (Brno)* 46(4): 116-119, ills.
- [348] **Retief, E. & Masupa, T. T. (2010)** The genus *Pelargonium* (*Geraniaceae*) in Southern Africa. *S. African J. Bot.* 76(2): 401. [Abstract only.]
- [349] **Ribbens, E., Anderson, B. A. & Fant, J. (2010)** *Opuntia fragilis* (Nuttall) Haworth in Illinois: Pad dynamics and sexual reproduction. *Haseltonia* 16: 67-78, ills.
- [350] **Ribbens, E., Caley, B. & Sharkey, C. (2010)** Can cacti and cows coexist? *Opuntia fragilis* in Wisconsin. *Cact. Succ. J. (Los Angeles)* 82(1): 19-24, ills.
- [351] **Ríña, J. (2010)** [Czech:] *Echinocereus primolanatus* F. Schwarz – a unique cactus from northern Mexico. *Kaktusy (Brno)* 46(4): 124-127, ills.
- [352] **Rischer, W. (2010)** Habitate mit mehr als einer *Echinocereenart*. *Echinocereenfreund* 23 (2): 36-38.
- [353] **Rischer, W. (2010)** *Echinocereus* spec. Rio Piaxtla. *Echinocereenfreund* 23(4): 98-110, ills. (incl. p. 87), map. [Includes a distribution map and illustrations of *Echinocereus ortegae*.]
- [354] **Robayo-Gama, P. A., Quijano, C. E., Morales, G. & Pino, J. A. (2010)** Composition of the essential oil from leaves of *Peperonia galioides* HBK. grown in Colombia. *J. Essential Oil Res.* 22(4): 307-309.
- [355] **Roberts, E. (2010)** Cactus tips. *Pterocactus fischeri*. *Cact. Succ. J. (Los Angeles)* 82(4): 164-167, ills. [Included for the illustrations.]
- [356] **Roberts, E. (2010)** Cactus tips. *Pterocactus hickenii*. *Pterocactus megiolii*. *Pterocactus*

reticulatus. *Aztekium hintonii*. Cact. Succ. J. (Los Angeles) 82(5): 223-234, ills. [Included for the illustrations.]

[357] **Rodda, M. & Simonsson, N. (2010)** *Hoya minutiflora* sp. nov. (Apocynaceae, Asclepiadoideae) a new small-flowered *Hoya* species, and taxonomic notes on *Hoya ruscifolia* Decaisne. *Webbia* 65(2): 173-178, ills.

[358] **Rodgerson, C. (2010)** *Conophytum minimum 'wittebergense'*. Mesemb Study Group Bull. 25(2): 35-36, ills.

[359] **Rogozinski, H. & Plein, W. (2010)** Eine abenteuerliche Tour im mexikanischen Bundesstaat Chihuahua. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(1): 42-53, ills. [On a form of *Mammillaria craigii*.]

[360] **Rogozinski, H. & Plein, W. (2010)** Die Mammillarien der Reihe *Rhodanthe* Lüthy im Westen Mexikos. [Teil I] / Teil II. *Mitteilungsbl. Arbeitskreises Mammillarienfr.* 34(2): 62-75, (3): 138-145, ills.

[361] **Roux, A. le, Jaarsveld, E. J. van & Buys, M. (2010)** Mopkop vygies. The thin end of the wedge. *Veld. Fl.* (1975+) 96(1): 32-33, ills. [On *Phyllobolus caudatus*.]

[362] **Rowley, G. D. (2010)** Epitypes for two archetypal Stapeliads: *Stapelia hirsuta* and *S. (Orbea) variegata*. *Bradleya* 28: 107-108, ills.

[363] **Rowley, G. D. (2010)** Lectotypification of *Portulaca grandiflora* var. *grandiflora*. *Bradleya* 28: 109-110, ill.

[364] **Rowley, G. D. (2010)** Worthwhile hybrid succulents No. 11: From *Kalanchoe blossfeldiana* Poelln. to the Double Flaming Katy Group. *CactusWorld* 28(1): 31-37, ills.

[365] **Rowley, G. D. (2010)** The venerable Reid Venable Moran: King of the Dudleyas. *CactusWorld* 28(3): 157-158, ills. [Published under the pseudonym W. R. Ogdon-Leroy.]

[366] **Rowley, G. D. (2010)** Worthwhile hybrid succulents 12: *Portulaca grandiflora*. *CactusWorld* 28(4): 221-230, ills.

[367] **Rowley, G. D. (2010)** Salm-Dyck's Mammillarias. *J. Mammillaria Soc.* 50(3): 79-96, ills. [German translation in *Mitt.-blatt. AfM* 35(2): 90-107, ills., 2011.]

[368] **Rowley, G. D. (2010)** Miller wrote the

text – Ehret painted the pictures. Mesemb Study Group Bull. 25(4): 89-93, ills. [On *Aizoaceae* featured in P. Miller's *Gardener's Dictionary*.]

[369] **Ruinaard, H. (2010)** *Echinocereus engelmannii* ssp. *engelmannii* fa. *munzii*. *Succulenta* (Netherlands) 89(3): 104-111, ills.

[370] **Ruinaard, H. (2010)** *Echinocereus yavapaiensis*. *Succulenta* (Netherlands) 89(5): 204-209, ills.

[371] **Rulkens, A. J. H. & Baptista, O. J. (2010)** Two tuberous *Jatropha* species from Mozambique. *Euphorbia World* 6(1): 26-31, ills. [On *Jatropha subaequiloba* and *J. scaposaa*.]

[372] **Rulkens, A. J. H. & Baptista, O. J. (2010)** Photographic report of *Sansevieria* species with cylindrical leaves and species related to *S. hyacinthoides* in Mozambique. *Sansevieria* 23: 24-29, ills.

[373] **Salengue, E. V. (2010)** Rote Blüte an *N.[otocactus] mammulosus* (Lemaire) A. Berger ex Backeberg. *Internoto* 31(2): 54-57, ills.

[374] **Salengue, E. V. (2010)** Am Fundort von *N.[otocactus] rauschii* Vliet & *N. spinibarbis* F. Ritter. *Internoto* 31(4): 99-107, ills.

[375] **Sánchez Martínez, E., Hernández Martínez, M. M., Hernández Oría, J. G., Maruri Aguilar, B., Torres Galeana, L. E., Martínez Vara, P. & Ruiz Campos, G. (2010)** *Mammillaria microhelia*, un estenoendemismo del estado de Querétaro, México. *Suculentas* (Barcelona) No. 49: 3-9, ills., map.

[376] **Sánchez Martínez, E., Hernández Oría, J. G., Hernández Martínez, M. M. & Torres Galeana, L. E. (2010)** La Barranca del Infiernillo in/en Cadereyta, Querétaro. Zona de primaria importancia para la conservación della ricchezza cactologica del Messico. Zona prioritaria para la conservación de la riqueza cactológica de México. *Piante Grasse* 30(2): 46-71, ills.

[377] **Santecchia, S. & Rajal, M. V. (2010)** Cactáceas del Valle de Lerma, Salta, Argentina. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7 (2): 11-18, ills., map.

[378] **Sarkar, J., Misra, R. L., Bhat, K. V., Singh A. & Singh, S. K. (2010)** Genetic diver-

sity analysis in tuberose (*Polianthes tuberosa*) genotypes through random amplified polymorphic DNA. Indian J. Genet. Pl. Breed. 70(2): 182-188.

[379] **Schaefer, H. & Renner, S. S. (2010)** A three-genome phylogeny of *Momordica* (*Cucurbitaceae*) suggests seven returns from dioecy to monoecy and recent long-distance dispersal to Asia. Molec. Phylogen. Evol. 54: 553-560.

[380] **Schäferhoff, B., Fleischmann, A., Fischer, E., Albach, D. C., Borsch, T., Heubl, G. & Müller, K. F. (2010)** Towards resolving Lamiales relationships: Insight from rapidly evolving chloroplast sequences. BMC Evol. Biol. 10(352): [1-22], ill.

[381] **Scheinvar, L., Gallegos Vázquez, C., Olalde Parra, G. & Rodriguez Fuentes, A. (2010)** *Opuntia* Ser. *Streptacanthae* (*Cactaceae*) – neotypifications and taxonomic notes for four species. Neotypisierung und taxonomische Anmerkungen für vier Arten. Schumannia 6: 277-296, ill., key, maps. [= Biodiversity & Ecology 3.]

[382] **Schnabel, D. H. (2010)** Neue *Anacampseros*-Art in den Magaliesbergen (Südafrika) entdeckt. Avonia-News 2010(10): 4-7, ill.

[383] **Scholz, E. (2010)** Über *Echinopsis obrepanda* (SD.) K. Schum. Echinopseen 7(1): 1-13, ill.

[384] **Scholz, E. (2010)** Zu *Echinopsis (Lobivia) haematantha* (Speg.) Br. & R. Echinopseen 7(2): 65-68, ill.

[385] **Scholz, E., Wittau, H.-J. & Winkler, G. (2010)** *Lobivia westii* P. C. Hutchison und *Lobivia intermedia* Rausch. Echinopseen 7(2): 53-63, ill., map.

[386] **Schrempf, E. (2010)** *Mammillaria dioica* K. Brandegee. Mitteilungsbl. Arbeitskreises Mammillarienfr. 34(4): 216-221, ill.

[387] **Seda, V. (2010)** [Czech:] *Sulcorebutia tarabucoensis* Rausch var. *callecallensis* (F. Brandt) Augustin & Gertel. Cactaceae etc. 20(1): 7-9, ill. [Included for the illustrations showing variability.]

[388] **Seifert, E. (2010)** Entdeckung im Hochgebirge Costa Ricas – *Macleania insignis* Mart. & Gal. – eine kaudexbildende Art der Heidegewächse (*Ericaceae*). Avonia 28(1): 7-

10, ill.

[389] **Semenev, D. W. (2010)** Bemerkungen zu den Sukkulente[n] des Khan Khentii in der Mongolei. Avonia 28(3): 107-110, ill.

[390] **Semwal, D. K., Badoni, R., Semwal, R., Kothiyal, S. K., Singh, G. J. P. & Rawat, U. (2010)** The genus *Stephania* (*Menispermaceae*): Chemical and pharmacological perspectives. J. Ethnopharmacol. 132(2): 369-383.

[391] **Silvera, K., Neubig, K. M., Whitten, W. M., Williams, N. H., Winter, K. & Cushman, J. C. (2010)** Evolution along the Crassulacean Acid Metabolism continuum. Funct. Pl. Biol. 37(11): 995-1010.

[392] **Simpson, M. G., Silveira, M. & Guilliams, C. M. (2010)** Taxonomy of *Calyptridium parryi* (*Montiaceae*). Madroño 57(3): 145-160.

[393] **Slaba, R. (2010)** [Czech:] *Gymnocalycium bayrianum* H. Till, the last member of the "Top Three". Kaktusy (Brno) 46(2): 50-53, ill.

[394] **Slaba, R. (2010)** [Czech:] *Parodia aureicentra* var. *omniaurea* Ritter or *Parodia rauschii* Backeberg? Kaktusy (Brno) 46(3): 75-79, ill.

[395] **Slade, D. & Stephenson, R. (2010)** *Sedum lampusae* (Kotschy) Boiss. CactusWorld 28(3): 167-168, ill. [Included for the illustrations.]

[396] **Sorma, V. (2010)** [Czech:] *Gymnocalycium coloradoense* [sic!] Berger. Cactaceae etc. 20(1): 22-26, ill., map.

[397] **Sorma, V. (2010)** [Czech:] *Gymnocalycium kieslingii* Ferrari. Cactaceae etc. 20(2): 62-66, ill., map.

[398] **Sorma, V. (2010)** [Czech:] *Gymnocalycium strigianum* subsp. *aeneum* Meragalli & Guglielmone 1 / 2. Cactaceae etc. 20(3): 120, (4): 133-137, ill., map.

[399] **Sperling, R. & Bercht, L. (2010)** Die Gruppe der Gymnocalycien mit blaugrauer Epidermis aus der Provinz San Luis, Argentinien. Gymnocalycium 23(2): 909-922, ill., maps. [Czech version in Gymnofil 38(2): 11-26, ill., 2010.]

[400] **Staník, R. (2010)** [Czech:] *Thelocephala odieri* (Lemaire ex Salm-Dyck) Ritter. Cacta-

ceae etc. 20(2): 77-80, ill.

[401] **Stanley, R. E. (2010)** *M.[ammillaria] freudenbergeri* Reppenhagen. J. Mammillaria Soc. 50(4): 103-104, ill. (front cover, p. 111).

[402] **Stanley, R. E. (2010)** Names from the past – *M.[ammillaria] nolascana* n.n. J. Mammillaria Soc. 50(4): 108-111, ill.

[403] **Stephenson, R. (2010)** *Sedum tuberiferum* Stoj. & Stef., a little understood European succulent. Cact. Succ. J. (Los Angeles) 82(3): 101-104, ill., map.

[404] **Stephenson, R. (2010)** Searching for houseleeks in central northern Italy, summer 2010. CactusWorld 28(4): 231-234, ill.

[405] **Stephenson, R. (2010)** Rethink *Sedum adolphi*. Newslett. Sedum Soc. No. 95: 23-24, ill.

[406] **Stephenson, R. & Stephenson, J. (2010)** Macedonia Part 2. Newslett. Sedum Soc. No. 92: 24-27, ill., map.

[407] **Stiling, P. (2010)** Death and decline of a rare cactus in Florida. Castanea 75(2): 190-197. [On *Consolea corallicola*.]

[408] **Strigl, F. (2010)** Beobachtungen am 'Stern von Lorsch'. Kakt. and. Sukk. 61(11): 304-305, ill. [Included for the illustrations of *Lobivia densispina* 'Stern von Lorsch'.]

[409] **Stuchlík, S. (2009)** [Czech:] *Notocactus ritterianus* Lisal et Kolarik versus *Notocactus* sp. HU 805. Minimus 40(3-4): 1-4, ill. [Omitted previously.]

[410] **Stuchlík, S. (2009)** [Czech:] New information on *Notocactus calvescens* N. Gerloff & A. D. Nilson. Minimus 40(3-4): 10-12, ill. [Omitted previously.]

[411] **Stuchlík, S. (2009)** [Czech:] Searching for *Notocactus erythranthus* n.n. Minimus 40(3-4): 15-16, ill. [Omitted previously.]

[412] **Stuchlík, S. (2010)** *Notocactus roseoluteus* Vliet – Besuch auf dem Fundort. Interfoto 31(1): 3-7, ill.

[413] **Stuchlík, S. (2010)** [Czech:] How does *Notocactus neobuenekeri* Ritter grow in habitat? Kaktusy (Brno) 46(1): 23-26, ill.

[414] **Stuchlík, S. (2010)** [Czech:] *Notocactus glomeratus* Gerloff – a member of the *Notocac-*

tus scopae (Sprengel) Berger ex Backeberg complex. Kaktusy (Brno) 46(2): 55-57, ill.

[415] **Stuchlík, S. (2010)** [Czech:] 40th anniversary of *Notocactus crassigibbus* Ritter. Kaktusy (Brno) 46(3): 92-95, ill., map.

[416] **Stuchlík, S. (2010)** [Czech:] Variability of *Gymnocalycium denudatum* (Link et Otto) Pfeiffer ex Mittler. Kaktusy (Brno) 46(4): 128-131, ill.

[417] **Stuchlík, S. (2010)** [Czech:] Kaktusy. Rio Grande do Sul. Kaktusy (Brno) 46(Speciál 1): 2-35, ill., maps. [Included for the illustrations. Also published in a German translation.]

[418] **Stuchlík, S. (2010)** [Czech:] The similarity of *Notocactus* species. Minimus 41(1-2): 5-7, ill. [On *Notocactus vilanovensis* and *N. permutatus*.]

[419] **Tepedino, V. J., Griswold, T. L. & Bowlin, W. R. (2010)** Reproductive biology, hybridization, and flower visitors of rare *Sclerocactus* taxa in Utah's Uintah basin. W. N. Amer. Naturalist 70: 377-386.

[420] **Thiede, J. (2010)** The correct publication date and place for four *Conophytum* species (*Aizoaceae*) published by Arthur Tischer. Mesemb Study Group Bull. 25(4): 83.

[421] **Thiede, J., Hargreaves, B. J., Mwanambo, M. L. & Oldeland, J. (2010)** Filling the gap: *Fockea multiflora* K. Schum. (*Apocynaceae*) in Malawi. Haseltonia 16: 79-82, ill.

[422] **Thiede, J., Opel, M. R. & Hammer, S. A. (2010)** Flower pigment patterns and systematics of *Conophytum* N. E. Br. (*Aizoaceae*). Haseltonia 16: 9-15, ill.

[423] **Thiele, H. E. E. (2010)** Neue Parodiendefunde aus Bolivien. Kaktusblüte 27: 46-53, ill., maps.

[424] **Thorwarth, H.-J. (2010)** *Sansevieria aethiopica* in habitat in the south of Namibia. Sansevieria No. 22: 15-18, ill.

[425] **Thulin, M., Rydberg, A. & Thiede, J. (2010)** Identity of *Tetragonia pentandra* and taxonomy and distribution of *Patellifolia* (*Chenopodiaceae*). Willdenowia 40(1): 5-11, map.

[426] **Till, H. & Amerhauser, H. (2010)** Die verworrene Geschichte des *Gymnocalycium hyptiicanthum* (Lem.) Britton & Rose. Gymno-

calycium 23(1): 897-907, ills.

[427] **Till, H. & Amerhauser, H. (2010)** Die Gymnocalycien des Gran Chaco und der Savanne aus Argentinien, Bolivien und Paraguay Teil X. *Gymnocalycium megatae* Y. Itô mit seinen Formen. *Gymnocalycium* 23(4): 959-968, ills., map.

[428] **Timberlake, J. R. & Martins, E. S. (eds.) (2010)** Flora Zambesiaca. Volume 13, part 2. Richmond (GB): Royal Botanic Gardens, Kew, for the Flora Zambesiaca Managing Committee. 83 pp., ills., keys. [This volume includes *Dracaenaceae* and *Eriosepmeaceae*.]

[429] **Torres-Boeger, M. R., Soffiati, P., Gomes-Souto, M. A., Budchen, M., Bagatini, K. P. & Dal Forno, M. (2010)** Functional morphology of two *Lepismium* species (*Rhipsalideae*, *Cactaceae*). *Revista Mex. Biodivers.* 81: 393-400.

[430] **Tóth, N. (2010)** [Hungarian:] The Ferocacti of Isla Tiburón. *Kaktusz Vilag* 34(5): 208-223, ills.

[431] **Trevisson, M. & Perea, M. (2009)** *Cactus del oeste de Argentina*. Buenos Aires (RA): LOLA. 160 pp., ills., maps.

[432] **Unemoto, L. K., Faria, R. T. de, Assis, A. M. de & Destro, D. (2010)** The vegetative development of *Sinningia leucotricha* Hoehne (Moore) under different levels of shading. *Brazil. Arch. Biol. Technol.* 53(1): 47-53.

[433] **Vasko, Z. (2010)** [Czech:] *Echinocactus grusonii* – in the state of Zacatecas. *Kaktusy (Brno)* 46(1): 12-13, ills.

[434] **Vásquez, M. (2010)** *Especies xerófitas de la cuenca Chancay – Huaral (Lima, Perú)*. *Quep* 24: 95-102, ills.

[435] **Velazco Macias, C. & Flores, G. A. (2009)** *Cactáceas de Nuevo León*. Nuevo León (MX): Universidad Autónoma de Nuevo León. 155 pp., ills.

[436] **Veldhuisen, R. van (2010)** *Euphorbia albipollinifera* L. C. Leach. *Euphorbia World* 6(2): 8-13, ills.

[437] **Veldhuisen, R. van (2010)** *Euphorbia filiflora*. *Succulenta (Netherlands)* 89(3): 117-124, ills. [Included for the illustrations depicting variability.]

[438] **Véliz Pérez, M. E. (2010)** Estado del conocimiento de la familia *Cactaceae* en Guatemala. *Bol. Soc. Latinoamer. Caribe Cact. otras Suc.* 7(2): 1-5, ills., map.

[439] **Verdan, M. H., Barison, A., Sa, E. L. de, Salvador, M. J., Poliquesi, C. B., Eberlin, M. N. & Stefanello, M. E. A. (2010)** Lactones and quinones from the tubers of *Sinningia aggregata*. *J. Nat. Prod. (Lloydia)* 73(8): 1434-1437.

[440] **Versteeg, C. (2010)** *Sempervivum ciliosum* (Craib) 1914. Ein *Sempervivum* vom Balkan. *Avonia* 28(1): 26-29, ills.

[441] **Vích, J. (2010)** [Czech:] *Wigginsia* and other cacti from Sierra Lihué (Province La Pampa, Argentina). *Kaktusy (Brno)* 46(1): 8-11, ills.

[442] **Vích, J. (2010)** [Czech:] José Arechavaleta and problems around *Echinocactus arechavaletai*. *Kaktusy (Brno)* 46(3): 98-102, ills.

[443] **Villiers, B. J., Tilney, P. M. & Wyk, B.-E. van (2010)** The taxonomic significance of leaf anatomical characters in *Cussonia* and related genera (*Araliaceae*). *Bot. J. Linn. Soc.* 164: 246-263, ills.

[444] **Vlok, J. & Schutte-Vlok, A. L. (2010)** *Plants of the Klein Karoo*. Hatfield (ZA): Umdaus Press. xii + 568 pp., ills., maps, key, CD-ROM.

[445] **Vries, J. de (2010)** *Sulcorebutia arenacea* und *Sulcorebutia candiae*, zwei alte Bekannte. *Echinopseer* 7(1): 16-23, ills.

[446] **Vries, J. de (2010)** De standplaatsen van *Sulcorebutia caracarensis* en *Sulcorebutia inflexiseta* en mogelijk ook nog die van *Sulcorebutia pulchra* na bijna 40 jaar weer teruggevonden!. *Succulenta (Netherlands)* 89(2): 56-67, ills.

[447] **Vries, V. de (2010)** *Haworthia vincentii* – east of Albertinia. *Haworthiad* 24(2): 38-39, ills. [Included for the illustrations.]

[448] **Vrskovy, B. P. (2010)** [Czech:] Cuban *Melocactus* with white fruits. *Cactaceae etc.* 20(1): 3-6, ills.

[449] **Vrskovy, B. P. (2010)** [Czech:] The genus *Adenium* [sphalm. *Adenia*] in Kenia, TUT and NDW. *Cactaceae etc.* 20(3): 112-119, ills., map.

- [450] **Walker, C. C. (2010)** Gilbert Westacott Reynolds: His study of *Aloe* and a bibliography of his work. *Bradleya* 28: 111-124, ill.
- [451] **Walt, K. van der (2010)** The critically endangered succulent *Adenium swazicum*. *Aloe* 47(2): 40-43, ill.
- [452] **Walter, H. E. (2010)** Floral biology of *Echinopsis chiloensis* ssp. *chiloensis* (Cactaceae): Evidence for a mixed pollination syndrome. *Flora (Jena)* 205(11): 757-763, ill.
- [453] **Webb, R. H. & Turner, R. M. (2010)** A debt to the past: Long-term and current plant research at Tumamoc Hill (The Desert Laboratory) in Tucson, Arizona. *Desert Pl.* 26(2): 3-15, ill. [Includes data on *Carnegiea gigantea* growth response to rainfall events.]
- [454] **Weckström, K. (2010)** In search of the original *Hylotelephium telephium* subsp. *ruprechtii* (Jalas) H. Ohba. *Newslett. Sedum Soc. No.* 92: 37-44, ill., map.
- [455] **Wester, P. (2010)** Von Mäusen und Pavianschuhen: Erste Geländebeobachtung von Nager-Bestäubung in Südafrika. *Palmengarten* 73(2): 120-125, ill. [Dated 2009, received at ZSS Feb. 2010. On the pollination of *Whiteheadia bifolia*.]
- [456] **Wester, P. (2010)** Sticky snack for sengis: The Cape Rock Elephant-Shrew, *Elephantulus edwardii* (Macroscelidea), as a pollinator of the Pagoda Lily, *Whiteheadia bifolia* (Hyacinthaceae). *Naturwissenschaften* 97(12): 1107-1112, ill.
- [457] **Whitehouse, C. M. (2010)** Proposal to reject the name *Anthericum flagelliforme* (*Eriospermum flagelliforme*) (Eriospermaceae). *Taxon* 59(3): 979.
- [458] **Wick, M. (2010)** Three subspecies of *Gymnocalycium parvulum* (Spegazzini) Spegazzini in nature. *Schütziana* 1(1): 31-41, ill., map.
- [459] **Wisnev, M. (2010)** Some *Dudleya* in the Los Angeles area. *Newslett. Sedum Soc. No.* 95: 9-17, ill.
- [460] **Wutzler, K. (2010)** Vorge stellt: *Echinopsis subdenudata* Cárdenas. *Echinopseen* 7(2): 72-75, ill.
- [461] **Yoder, J. B., Smith, C. I. & Pellmyr, O. (2010)** How to become a Yucca Moth: Minimal trait evolution needed to establish the obligate pollination mutualism. *Biol. J. Linn. Soc.* 100: 847-855.
- [462] **Zaitlin, D. & Pierce, A. J. (2010)** Nuclear DNA content in *Sinningia* (Gesneriaceae); intraspecific genome size variation and genome characterization in *S. speciosa*. *Genome* 53(12): 1066-1082.
- [463] **Zeddäm, A. & Raus, T. (2010)** Cactaceae. In: Greuter, W. & Raus, T. (eds.): *Med-Checklist Notulae*, 29. *Willdenowia* 40(2): 190. [Locality data for neophytic *Opuntia ficus-indica* in Algeria.]
- [464] **Zhu, H.-B., Wang, Y.-Z., Liang, H., Chen, Q.-M., Zhao, P. & Tao, J. (2010)** Identification of *Portulaca oleracea* L. from different sources using GC MS and FT-IR spectroscopy. *Talanta* 81(1-2): 129-135.
- [465] **Zhu, L. & Lou, A. R. (2010)** Mating system and pollination biology of a high mountain perennial plant, *Rhodiola dumulosa* (Crasulaceae). *J. Pl. Ecol.* 3(3): 219-227.
- [466] **Zietsman, P. C. & Smith, G. F. (2010)** Notes on African plants. *Asphodelaceae*. Occurrence of *Haworthia bolusii* var. *blackbeardiana* in the Free State, South Africa. *Bothalia* 40(1): 58, ill.
- [467] **Zimmermann, N. F. A., Ritz, C. M. & Hellwig, F. H. (2010)** Further support for the phylogenetic relationships within *Euphorbia* L. (*Euphorbiaceae*) from nrITS and trnL-trnF IGS sequence data. *Pl. Syst. Evol.* 286: 39-58.
- [468] **Zonneveld, B. J. M. (2010)** *Heliocereus amecamensis*, een goede soort? *Succulenta (Netherlands)* 89(1): 43-46, ill.
- [469] **Zonneveld, B. J. M. & Fritz, G. P. J. (2010)** Three species accepted in *Chortolirion* Berger (*Xanthorrhoeaceae: Asphodeloideae*). *Bradleya* 28: 27-36, ill.
- [470] **Zuijlen, A. van (2010)** Variability in *Mammillaria dioica* (Brandegee). *J. Mammillaria Soc.* 50(1): 10-17, ill., map.
- [471] **Zuijlen, A. van (2010)** Op de vindplaats van ... (5) *Mammillaria bombycina*. *Succulenta (Netherlands)* 89(4): 160-164, ill.

Back issues of Repertorium Plantarum Succulentarum

Many printed back issues of Repertorium Plantarum Succulentarum are still available at the cost of EUR 5.00 plus postage. Please address enquiries to the IOS Secretary (secretary@iosweb.org).

